



**B.M. MACCHINE UTENSILI s.r.l.**

Via Edmondo De Amicis, 146 - 10093 Collegno (TO) - ITALY

Tel: (0039) 011-403.11.24 / 011-403.15.79 - Fax: (0039) 011 403.13.28

www.bmtorino.it - bm@bmtorino.it

IT 07417070013

## Angle Plate - Cube

Code	Make	Model	Type	Technical Details
<a href="#">4143</a>	1000x750	-	Cube	1000 x 750 x 500 mm.
<a href="#">4322</a>	1200x1000	-	Granite angle plate	1200 x 1000 x 120 mm.
<a href="#">4382</a>	1200x1080	-	Cube with quarries	1200 x 1080 x 860 mm.
<a href="#">5336</a>	1650x800	-	Parallelepiped with T quarries	1650 x 800 x 680 mm.
<a href="#">3394</a>	450 x 290	---	Angle plate	450 x 290 x 345 mm.
<a href="#">4711</a>	590x340	-	Cube	590 x 340 x 255 mm.
<a href="#">4818</a>	700 x 700	-	Angle plate	700 x 700 x 350 mm.
<a href="#">5611</a>	850x745	-	Parallelepiped with T quarries	850 x 745 x 400 mm. (LxPxH)

## Automatic Lathe

Code	Make	Model	Type	Spindle diameter bore
<a href="#">3985</a>	BIGLIA	HRA 250		
<a href="#">3983</a>	BIGLIA	HRA 65		25 mm.
<a href="#">3986</a>	CTA	16		16 mm.
<a href="#">4492</a>	DROOP REIN	-	For helicoidal grooves	
<a href="#">4586</a>	DROOP REIN	-	For helicoidal grooves	
<a href="#">32</a>	DUBJET	-		
<a href="#">3980</a>	LUCCHINI	-	Horizontal	
<a href="#">3988</a>	MORANDO	TS 20	Backing-off lathe	23 mm.
<a href="#">4782</a>	TRAUB	A 42		

## Bed Type Milling Machine

Code	Make	Model	Type	Table dimensions	Cross travel	Longitudinal travel
<a href="#">1927</a>	CINCINNATI	-	Hydraulic	1000 x 360 mm.		
<a href="#">4993</a>	COLGAR	PROG 200 TR 9 P	CNC ECS 2601	1600 x 1250 mm.	2000 mm.	2500 mm.
<a href="#">4291</a>	CSEPEL	MVI 6-10	Horizontal - 1 head	1600 x 630 mm.	500 mm circa.	
<a href="#">4292</a>	CSEPEL	MVI 6-10	Horizontal - 1 head	1600 x 630 mm.	500 mm circa.	
<a href="#">1922</a>	DROOP REIN	FS 130 G	Digital read-out	2400 x 1000 mm.	950 mm. circa	1900 mm. circa
<a href="#">1892</a>	DUPLOSTANDARD	ZEPHIR 30	CNC SIEMENS 820	3000 x 900 mm.	1000 mm.	3000 mm.
			T			
<a href="#">1858</a>	ERNAULT SOMUA	Z 1 C	Horizontal - 1 head	1200 x 300 mm.	300 mm.	750 mm.
<a href="#">5662</a>	FIL	FA 130	CNC SELCA 1200	1600 x 570 mm.	630 mm.	1300 mm.
<a href="#">5513</a>	FIL	FA 200	CNC HEIDENHAIN	2400 x 750 mm.	750 mm.	2000 mm.
			TNC 135			



**B.M. MACCHINE UTENSILI s.r.l.**

Via Edmondo De Amicis, 146 - 10093 Collegno (TO) - ITALY

Tel: (0039) 011-403.11.24 / 011-403.15.79 - Fax: (0039) 011 403.13.28

www.bmtorino.it - bm@bmtorino.it

IT 07417070013

Code	Make	Model	Type	Table dimensions	Cross travel	Longitudinal travel
<a href="#">1883</a>	FOREST SAIMP	SV4 800 BN	CNC FAGOR 8050 M	1700 x 850 mm.	880 mm.	820 mm.
<a href="#">1884</a>	FOREST SAIMP	SV4 800 BN	CNC FAGOR 8050 M	1700 x 850 mm.	880 mm.	820 mm.
<a href="#">3777</a>	FRITZ HUERTHAL	-	Horizontal - 2 head	1000 x 500 mm.		
<a href="#">4693</a>	IRSASA	4.176	Vertical	Ø 630 mm.		
<a href="#">1867</a>	KOPP	-	Horizontal			
<a href="#">3772</a>	MASTER	-	CNC OLIVETTI VECTOR	900 x 440 mm.	600 mm.	900 mm.
<a href="#">5763</a>	MECOF	CR 15 UNICA	CNC HEIDENHAIN TNC 430	2700 x 900 mm	1000 mm	2500 mm
<a href="#">4568</a>	MONFER	300	Automatic	1000 x 250 mm.		330 mm.
<a href="#">1847</a>	MONFER	350	Automatic	900 x 240 mm.		350 mm.
<a href="#">1902</a>	NOVAR	KBF 3000	CNC ECS 2401	3000 x 1000 mm.	1000 mm.	2500 mm.
<a href="#">5526</a>	NOVAR	PARTNER 1700	CNC HEIDENHAIN 407	1700 x 700 mm.	700 mm.	1500 mm.
<a href="#">1890</a>	OERLIKON	FM 3V	CNC CNI ENC 24 T	2000 x 500 mm.	800 mm.	1600 mm.
<a href="#">1844</a>	OLIVETTI	AF 30	Horizontal - 1 head	560 x 240 mm.		200 mm.
<a href="#">1845</a>	OLIVETTI	AF 30	Horizontal - 1 head	560 x 240 mm.		200 mm.
<a href="#">1899</a>	OLIVETTI	AF 30	Horizontal - 1 head			
<a href="#">1930</a>	OLIVETTI	AF 30	Horizontal - 1 head	640 x 240 mm.		
<a href="#">3769</a>	OLIVETTI	AF 30	Horizontal - 1 head	560 x 240 mm.		200 mm.
<a href="#">3770</a>	OLIVETTI	AF 30	Horizontal - 2 head	560 x 240 mm.		200 mm.
<a href="#">3771</a>	OLIVETTI	AF 30	Horizontal - 1 head	560 x 240 mm.		200 mm.
<a href="#">1870</a>	OLIVETTI	FG 4	Vertical Rotary table - 1 head			
<a href="#">1871</a>	OLIVETTI	FG 4	Vertical Rotary table - 2 head			
<a href="#">1875</a>	OLIVETTI	FG 4	Vertical Rotary table - 2 head	Ø 1100 mm.		
<a href="#">3774</a>	OLIVETTI	FG 4	Vertical Rotary table - 1 head	Ø 1100 mm.		
<a href="#">1869</a>	OLIVETTI	FP 4	Horizontal - 2 head			
<a href="#">1891</a>	OLIVETTI	FP 4	Horizontal - 2 head	1500 x 410 mm.		1000 mm.
<a href="#">3764</a>	OLIVETTI	FP 4	Vertical - 1 head	1500 x 440 mm.		1000 mm.
<a href="#">4529</a>	OLIVETTI	FP 6 N	Vertical	1750 x 610 mm.		1250 mm.
<a href="#">1836</a>	RAMBAUDI	RAMMATIC 450	CNC HEIDENHAIN 155	1900 x 450 mm.	450 mm.	800 mm.
<a href="#">1840</a>	RAMBAUDI	RAMMATIC 451	CNC DYNAPATH SISTEM 20	1300 x 450 mm.	450 mm.	800 mm.
<a href="#">1921</a>	RAMBAUDI	VERSAMILL 12	CNC HEIDENHAIN TE 355 B	1600 x 510 mm.	620 mm.	1200 mm.
<a href="#">4723</a>	RIELLO	-	Rotary table milling machine			
<a href="#">1893</a>	SACHMAN	FAS	Vertical	1600 x 560 mm.	560 mm.	1200 mm.



**B.M. MACCHINE UTENSILI s.r.l.**

Via Edmondo De Amicis, 146 - 10093 Collegno (TO) - ITALY

Tel: (0039) 011-403.11.24 / 011-403.15.79 - Fax: (0039) 011 403.13.28

www.bmtorino.it - bm@bmtorino.it

IT 07417070013

Code	Make	Model	Type	Table dimensions	Cross travel	Longitudinal travel
<a href="#">1934</a>	SACHMAN	RP 3	CNC SELCA S 4045 D	2450 x 730 mm.	815 mm.	1800 mm.
<a href="#">1846</a>	SACHMAN	S 80	Digital read-out	1600 x 560 mm.	560 mm.	1200 mm.
<a href="#">1926</a>	SACHMAN	S 80	Digital read-out	1600 x 560 mm.	560 mm.	1200 mm.
<a href="#">1872</a>	SAIMP	FG 4	Vertical Rotary table - 2 head			
<a href="#">3768</a>	SAIMP	FG 4	Vertical Rotary table - 2 head	Ø 1100 mm.		
<a href="#">3776</a>	SAIMP	FG 4	Vertical Rotary table - 2 head	Ø 1000 mm.		
<a href="#">3766</a>	SAIMP	FG 6	Vertical Rotary table - 2 head	Ø 1600 mm.		
<a href="#">1918</a>	SAIMP	FP 6 S	Horizontal - 2 head	1750 x 610 mm.		1250 mm.
<a href="#">5034</a>	SAIMP	FP4 / U 10 / 2000	3 Heads	2400 x 440 mm.		2000 mm.
<a href="#">1929</a>	SAIMP	MECTRA 16	CNC HEIDENHAIN TNC 415	3000 x 1000 mm.	1300 mm.	3000 mm.
<a href="#">1925</a>	SECMU	FBF 5P C6S	CN FAGOR 8020	2000 x 700 mm.	960 mm.	1400 mm.
<a href="#">1920</a>	SUNDSTRAND	FPD 1200/450	Horizontal	2000 x 460 mm.		1200 mm.
<a href="#">3767</a>	VITAP	TAVIP TA 1	Digital read-out	1900 x 480 mm.	500 mm.	1500 mm.
<a href="#">3775</a>	WEILER	FH 600	Universal	700 x 230 mm.	180 mm.	550 mm.

## Bender Profile - Tube

Code	Make	Model	Type	Capacity	Rolls no.
<a href="#">1479</a>	BLM	B 25	Benders tube	Ø 25 mm.	
<a href="#">1477</a>	FE.MA.R	PF 10	Profile benders	80 x 15 mm.	3
<a href="#">1476</a>	G.M.L.	-	Profile benders		3
<a href="#">5733</a>	MINGORI		Hand pipe bending machine	Ø 3/8" - 1" 1/2	
<a href="#">1467</a>	PEDRAZZOLI	UNIVERSAL	Tube benders		

## Bending Machine

Code	Make	Model	Type	Max. length	Tn.
<a href="#">5263</a>	--	2000	Manual	2000 mm.	
<a href="#">2450</a>	---	2000	Manual	2000 mm.	
<a href="#">2449</a>	CBC	T 175/40 I	Hydraulic	4000 mm.	175
<a href="#">2421</a>	ERMAKSAN	AP 2100 x 40	Hydraulic	2000 mm.	40
<a href="#">2466</a>	ILMA	ILPH 5/20	CNC Cybelec DNC 7000	2050 mm	50
<a href="#">4421</a>	IMAL	40 60	Mechanical	6050 mm.	40
<a href="#">3825</a>	MARIANI	147 / PLA	Mechanical	2050 mm.	20
<a href="#">2434</a>	OMAG	3000	Hydraulic	3000 mm.	35



**B.M. MACCHINE UTENSILI s.r.l.**

Via Edmondo De Amicis, 146 - 10093 Collegno (TO) - ITALY

Tel: (0039) 011-403.11.24 / 011-403.15.79 - Fax: (0039) 011 403.13.28

www.bmtorino.it - bm@bmtorino.it

IT 07417070013

Code	Make	Model	Type	Max. length	Tn.
<a href="#">2431</a>	OMAG	PHB 16536	Hydraulic	4000 mm.	165
<a href="#">4176</a>	OMAG	PI 30 - 2500	Hydraulic	2500 mm.	30
<a href="#">4289</a>	PRISMI e LAME	-	Prisms and blades		
<a href="#">3718</a>	S.I.M.A.S.V.	T 22 ELE CNC	Horizontal Bending Press		22
<a href="#">3823</a>	SCHIAVI	RG 1200-25	CNC Hydraulic	1200 mm.	25
<a href="#">2416</a>	SCHIAVI	RG 240	Hydraulic	4000 mm.	200
<a href="#">5276</a>	SCHIAVI	RG 35	Hydraulic	2400 mm.	35 T.
<a href="#">2446</a>	SCHIAVI	STP-C 204	Hydraulic CNC	4000 mm.	200
<a href="#">3824</a>	SIA ITALIA	CPC 39	Manual combined	1000 x 1 mm.	
<a href="#">2428</a>	SOMO	PH 250	Hydraulic	5000 mm.	250
<a href="#">2437</a>	SOMO	SP 80/41	Hydraulic	4000 mm.	80
<a href="#">2455</a>	STANKOIMPORT	1330 A	Mechanical	4000 mm.	100

## Bending Roll

Code	Make	Model	Type	Max. length	Max. width
<a href="#">3040</a>	FOMP	2000	Mechanical	2000 mm.	10 / 12 mm.
<a href="#">3641</a>	LUPI	500	Mechanical	500 mm.	10 mm.
<a href="#">3674</a>	SIA ITALIA	CPC 39	Manual combined	1000 mm.	1 mm.

## Broaching Machine

Code	Make	Model	Type	Max. working capacity	Max. travel
<a href="#">5019</a>	CMM	2000/10000	Conical Internal Broaching	10 Tonn.	2000 mm.
<a href="#">3000</a>	FIULM	800 / 3	Internal	12 Tonn.	770 mm.
<a href="#">2978</a>	FORST	RSA 10/1800	External	10 Tonn.	1800 mm.
<a href="#">3669</a>	FORST	RSA 10/1800	External	10 Tonn.	1800 mm.
<a href="#">2999</a>	FORST	RSIA 2	External	2 Tonn.	800 mm.
<a href="#">4620</a>	FORST OSWALD	RISZ 40 x 1000 x 630	Vertical Internal Hydraulic	40 Tonn.	1000 mm.
<a href="#">3009</a>	LAPOINTE	40/90	External	40 Tonn.	90 mm.
<a href="#">3010</a>	LAPOINTE	40/90	External	40 Tonn.	90 mm.
<a href="#">3666</a>	MAGNAGHI	10/1200	Internal	10 Tonn.	1200 mm.
<a href="#">3019</a>	MAGNAGHI	D16 -1250 - 10		16 Tonn.	1250 mm.
<a href="#">5045</a>	MARCHELLO	BVI 1200.15000	Internal	15 Tonn.	1200 mm.
<a href="#">2987</a>	MARCHELLO	BVI 2500/15	Internal	16 Tonn.	2500 mm.
<a href="#">5179</a>	SEBA	BRM 1	External		1000 mm.
<a href="#">3015</a>	VARINELLI				1000 mm.
<a href="#">3005</a>	VARINELLI	-	Internal		1000 mm.
<a href="#">3670</a>	VARINELLI	10/1000	Internal/External	10 Tonn.	1000 mm.



**B.M. MACCHINE UTENSILI s.r.l.**

Via Edmondo De Amicis, 146 - 10093 Collegno (TO) - ITALY

Tel: (0039) 011-403.11.24 / 011-403.15.79 - Fax: (0039) 011 403.13.28

www.bmtorino.it - bm@bmtorino.it

IT 07417070013

Code	Make	Model	Type	Max. working capacity	Max. travel
<a href="#">3665</a>	VARINELLI	10/1320	Internal/External	10 Tonn.	1320 mm.
<a href="#">3003</a>	VARINELLI	1000	Internal		
<a href="#">2993</a>	VARINELLI	BV 16/1320	Internal	16 Tonn.	1320 mm.
<a href="#">2998</a>	VARINELLI	BVEE90-R16/2000/500	External CNC SIEMENS	16 Tonn.	2000 mm.
<a href="#">5808</a>	VARINELLI	BVM - V 10.1250.250	Vertical internal broaching machine	10 Ton	1250 mm
<a href="#">2986</a>	VARINELLI	BVM 600	Internal		600 mm.
<a href="#">3020</a>	VARINELLI	BVM 800	Internal	5 Tonn.	800 mm.
<a href="#">3025</a>	VARINELLI	BVP 1600/40/630	Internal	40 Tonn.	1600 mm.
<a href="#">3021</a>	VARINELLI	BVP 800	Internal		800 mm.

### Centerless Grinder

Code	Make	Model	Type	Min/max grinding diameter	Grinding wheel width
<a href="#">4914</a>	GHIRINGHELLI				170 mm.
<a href="#">1680</a>	GHIRINGHELLI	2120		Ø 0,2 - 75 mm.	127 mm.
<a href="#">1661</a>	GHIRINGHELLI	-		Ø 1 - 125 mm.	200 mm.
<a href="#">1660</a>	GHIRINGHELLI	200		Ø 1 - 125 mm.	200 mm.
<a href="#">3903</a>	GHIRINGHELLI	M 65		Ø 0,2 - 28 mm.	65 mm.
<a href="#">1688</a>	GHIRINGHELLI	MOD. 120		Ø 1 - 80 mm.	120 mm.
<a href="#">1629</a>	GIUSTINA	R 100 SC	PLC	Ø 2 - 100 mm.	254 mm.
<a href="#">1686</a>	GIUSTINA	R 150		Ø 1,5 - Ø 300 mm.	355 mm.
<a href="#">4478</a>	GIUSTINA	R 150 C		Ø 1,5 - Ø 300 mm.	355 mm.
<a href="#">4479</a>	GIUSTINA	R 150 C		Ø 1,5 - Ø 300 mm.	355 mm.
<a href="#">5795</a>	GIUSTINA	R 150 C D.S.	Hydraulic	Ø 2 - Ø 300 mm.	400 mm.
<a href="#">1628</a>	GIUSTINA	R 90		Ø 1,5 - 200 mm.	255 mm.
<a href="#">1681</a>	GIUSTINA	R 90		Ø 1,5 - Ø 200 mm.	200 mm.
<a href="#">1682</a>	GIUSTINA	R 90		Ø 1,5 - Ø 200 mm.	200 mm.
<a href="#">1685</a>	GIUSTINA	R 90		Ø 1,5 - Ø 200 mm.	254 mm.
<a href="#">3897</a>	GIUSTINA	R 90		Ø 1,5 - 200 mm.	255 mm.
<a href="#">4480</a>	GIUSTINA	R 90		Ø 1,5 - 200 mm.	254 mm.
<a href="#">3904</a>	MAGNAGHI	-			
<a href="#">1640</a>	MICROREX	10 A		Ø 50 mm.	150 mm.
<a href="#">1644</a>	WMW MIKROSA	SASL 125 x 250		Ø 2 - Ø 125 mm.	200 mm.

### Centre Lathe

Code	Make	Model	Type	Centres height	Distance between centres	Spindle diameter bore
<a href="#">4199</a>	---	-	Lathe for spheres			
<a href="#">5609</a>	ALFEUCCIO			165 mm.	800 mm.	46 mm.



**B.M. MACCHINE UTENSILI s.r.l.**

Via Edmondo De Amicis, 146 - 10093 Collegno (TO) - ITALY

Tel: (0039) 011-403.11.24 / 011-403.15.79 - Fax: (0039) 011 403.13.28

www.bmtorino.it - bm@bmtorino.it

IT 07417070013

Code	Make	Model	Type	Centres height	Distance between centres	Spindle diameter bore
<a href="#">4708</a>	ANSELMI	MONO FAP 325 EA	Digital read-out	325 mm.	1500 mm.	65 mm.
<a href="#">5163</a>	AZETA	TMR 230 SUPER		230 mm.	1000 mm.	60 mm.
<a href="#">4015</a>	BMP	26		260 mm.	2000 mm.	60 mm.
<a href="#">323</a>	CLOVIS MERLI	28		310 mm.	5000 mm.	105 mm.
<a href="#">4089</a>	CLOVIS MERLI	28	Digital read-out	310 mm.	1500 mm.	105 mm.
<a href="#">4188</a>	DI PALO	DPM 26		260 mm.	2000 mm.	50 mm.
<a href="#">4487</a>	DROOP REIN	-				
<a href="#">4587</a>	DROOP REIN	-				
<a href="#">5560</a>	EST TICINO	300		300 mm.	2000 mm.	62 mm.
<a href="#">297</a>	FIMAP	TP 22		220 mm.	1000 mm.	56 mm.
<a href="#">463</a>	FIMAP	TP 22		220 mm.	1000 mm.	56 mm.
<a href="#">4833</a>	FIMAP	TP 22	Digital read-out	220 mm.	1000 mm.	56 mm.
<a href="#">446</a>	GIANA	400		400 mm.	1500 mm.	80 mm.
<a href="#">240</a>	GIANA	410		410 mm.	3000 mm.	150 mm.
<a href="#">464</a>	GRAZIANO	SAG 12		150 mm.	800 mm.	41 mm.
<a href="#">362</a>	GRAZIANO	SAG 180		180 mm.	1500 mm.	51 mm.
<a href="#">333</a>	GRAZIANO	SAG 20		254 mm.	2500 mm.	57 mm.
<a href="#">390</a>	GRAZIANO	SAG 22	Digital read-out on 2 axes	280 mm.	2000 mm.	85 mm.
<a href="#">5488</a>	GRAZIANO	SAG 22 NR		282 mm.	1000 mm.	85 mm.
<a href="#">415</a>	GRAZIOLI	DANIA 245		245 mm.	2000 mm.	78 mm.
<a href="#">273</a>	LABOR	180 S		180 mm.	1000 mm.	40 mm.
<a href="#">4003</a>	MIREA ITALIA	MCF 28		280 mm.	2000 mm.	80 mm.
<a href="#">4004</a>	MIREA ITALIA	MCF 28		280 mm.	2000 mm.	80 mm.
<a href="#">4007</a>	MIREA ITALIA	MCF 28		280 mm.	2000 mm.	80 mm.
<a href="#">5816</a>	MORANDO	PL 40		400 mm.	2500 mm.	80 mm.
<a href="#">453</a>	MORANDO	PN 50		525 mm.	3000 mm.	
<a href="#">436</a>	MORANDO	PA 25		250 mm.	1500 mm.	90 mm.
	POTISJE					
<a href="#">5539</a>	NOSOTTI RUMAT	T 250 / 1000		250 mm.	1000 mm.	60 mm.
<a href="#">406</a>	NOVAL CMA	25		250 mm.	1500 mm.	50 mm.
<a href="#">413</a>	NOVAL CMA	300		300 mm.	2000 mm.	100 mm.
<a href="#">5405</a>	PASQUINO	NSP 200		200 mm.	1000 mm.	61 mm.
<a href="#">469</a>	PONTIGGIA	H 500		500 mm.	7000 mm.	92 mm.
	LEOPOLDO					
<a href="#">5059</a>	PONTIGGIA	Ua 300		300 mm.	1500 mm.	76 mm.
	LEOPOLDO					
<a href="#">432</a>	RIVOL	250 RL		250 mm.	2000 mm.	105 mm.
<a href="#">315</a>	RIVOL	350 RP		350 mm.	3000 mm.	104 mm.
<a href="#">5789</a>	ROVAI IORI	M 250		250 mm.	1500 mm.	
<a href="#">475</a>	S. EUSTACCHIO			1100 mm.	8000 mm.	110 mm.
<a href="#">5820</a>	SAIMCA	OLYMPIC 140		140 mm.	800 mm.	32 mm.
<a href="#">5262</a>	SAIMP	B.N. 150		150 mm.	1000 mm.	38 mm.
<a href="#">5314</a>	SAIMP	MS 230		230 mm.	1500 mm.	45 mm.



**B.M. MACCHINE UTENSILI s.r.l.**

Via Edmondo De Amicis, 146 - 10093 Collegno (TO) - ITALY

Tel: (0039) 011-403.11.24 / 011-403.15.79 - Fax: (0039) 011 403.13.28

www.bmtorino.it - bm@bmtorino.it

IT 07417070013

Code	Make	Model	Type	Centres height	Distance between centres	Spindle diameter bore
<a href="#">5793</a>	SCHAUBLIN	102 - 80 TR	Turret lathe	102 mm.	250 mm.	
<a href="#">5786</a>	TACCHI	FTC 45		450 mm	1500 mm	107 mm
<a href="#">4768</a>	TACCHI	MT 220		220 mm.	1300 mm.	57 mm.
<a href="#">5657</a>	TROGLIA	TPL 15		210 mm.	1500 mm.	38 mm.

### Chambering machine

Code	Make	Model	Type	Technical Details	Manufacture year	Serial number	Accessories	Power	Weight	Overall dimensions	Notes
<a href="#">4256</a>	SICMAT	RCH	Chamfering machine								Gear chamfering machine

### Chamfering Machine

Code	Make	Model	Type	Technical Details
<a href="#">4764</a>	BIGANZOLI	FM	TM 7 Arrotondatrice	Rounding machine for gear
<a href="#">3966</a>	BOSSI		CPS/400/3000/1U	Band 150 mm.
<a href="#">3568</a>	FIM		V 12	Chamfering machine
<a href="#">4677</a>	RAUSCH		300 LH	Deburring machine
<a href="#">4614</a>	RAUSCH		Z 300 HD	Deburring Machine

### Chuck - Dividing Head

Code	Make	Model	Type	Technical Details
<a href="#">3810</a>	FIBRO	Y 13 670 UQ	Dividing head hydraulic	Ø 670 mm. - H 260 mm.
<a href="#">4749</a>	FOS	TVT 380	Dividing head	Ø 380 mm.

### CNC borer

Code	Make	Model	Type	Cross travel	Vertical travel
<a href="#">2934</a>	CERUTI	CERUTIMATIC	CNC PHILIPS		
<a href="#">4770</a>	COLGAR	PROG 200 TR 9 P	CNC ECS 2601	2500 mm.	2000 mm.
<a href="#">4994</a>	SAIMP	MECTRA 16	CNC HEIDENHAIN TNC 415	3000 mm.	1700 mm.
<a href="#">5788</a>	SAN ROCCO	FMC 110 S	CNC HEIDENHAIN TNC 426	2100 mm.	1600 mm.
<a href="#">5736</a>	UNION VEB GERA	BFK 150	CNC SIEMENS 840 D Power line	3000 mm.	2000 mm.



**B.M. MACCHINE UTENSILI s.r.l.**

Via Edmondo De Amicis, 146 - 10093 Collegno (TO) - ITALY

Tel: (0039) 011-403.11.24 / 011-403.15.79 - Fax: (0039) 011 403.13.28

www.bmtorino.it - bm@bmtorino.it

IT 07417070013

## Cnc Lathe

Code	Make	Model	Type	Turning diameter	Max. turning length
<a href="#">3989</a>	BIGLIA	B 56/8	CNC FANUC O-TT	Ø 520 mm.	400 mm.
<a href="#">3990</a>	BIGLIA	B 56/8	CNC FANUC O-TT	Ø 520 mm.	400 mm.
<a href="#">4626</a>	BIGLIA	B2M 4A RTB4	CNC FANUC O TT	Ø 308 mm.	350 mm.
<a href="#">187</a>	CMT	KRONOS 208	AB OSAI 8600	Ø 360 mm.	825 mm.
<a href="#">5804</a>	COMEV	PICO 260	CNC CN Z 32	295 mm	
<a href="#">154</a>	CORTINI	H 105	CNC FANUC/CORTINI	Ø 120 mm.	450 mm.
<a href="#">4684</a>	DANOBAT	DANUMERIC NI 1500	CNC SIEMENS	Ø 400 mm.	1500 mm.
<a href="#">163</a>	ERNAULT TOYODA	HES 32	CNC NUM 750	Ø 260 mm.	
<a href="#">4075</a>	GILDEMEISTER	GD 130			
<a href="#">176</a>	GILDEMEISTER	MD 3	CNC ELTROILOT	Ø 210 mm.	
<a href="#">177</a>	GILDEMEISTER	N.E.F. CT 40	CNC	Ø 225 mm.	
<a href="#">5773</a>	HAAS	SL 30 THE	CNC HAAS	433 mm	813 mm
<a href="#">196</a>	M.C.M.	ATL 300 x 1500	CNC FAGOR	Ø 350 mm.	1500 mm.
<a href="#">189</a>	OKUMA	LC 10 - 2 ST	CNC OKUMA OSP 5000 L - G		
<a href="#">162</a>	RETROFITTING	SHADOW 105	CNC		400 mm.
<a href="#">193</a>	SMTCL	CAK 6163D	CNC FANUC Oi MATE-TC	Ø 350 mm.	3000 mm.
<a href="#">5071</a>	SOMAB	UNIMAB 400	CN NUM	Ø 220 mm.	
<a href="#">4077</a>	STAR	JNC 32	CNC FANUC	Ø 32 mm.	355 mm.
<a href="#">173</a>	TRAUB	TNS 65 D	CNC TRAUB SYSTEM TX 8D	Ø 240 mm.	630 mm.
<a href="#">199</a>	VIEMME	T2T / 12	CNC OSAI PILOT	Ø 50 - 200 mm.	300 mm.
<a href="#">5009</a>	WMW	506TRN	CNC FAGOR 8050	Ø 1250 mm.	

## Compressor

Code	Make	Model	Type	Force
<a href="#">1614</a>	ABAC	200	Pistons	200 Lt.
<a href="#">1613</a>	AIRSERVICE	150	Pistons	150 Lt.
<a href="#">5413</a>	ATLAS COPCO	GA 11		1100 Lt/min.
<a href="#">4638</a>	ATLAS COPCO	GA 7		L/s 18
<a href="#">4160</a>	ATLAS COPCO	GA 75		12300 L/min
<a href="#">1611</a>	ATLAS-COPCO	GA 18	Screw	2970 Lt./min
<a href="#">4502</a>	MATTEI	139 - 140		
<a href="#">1600</a>	PNEUMOFOR	UP 6		5900 Lt./min.
<a href="#">1602</a>	PNEUMOFOR	UP 6		5,9 m³/min.
<a href="#">4159</a>	PNEUMOFOR	UP 6		5900 Lt/min.
<a href="#">5025</a>	WORTHINGTON CREYSSENSAC	DW 84	Refrigerant Dryer	840 m³/h





**B.M. MACCHINE UTENSILI s.r.l.**

Via Edmondo De Amicis, 146 - 10093 Collegno (TO) - ITALY

Tel: (0039) 011-403.11.24 / 011-403.15.79 - Fax: (0039) 011 403.13.28

www.bmtorino.it - bm@bmtorino.it

IT 07417070013

Code	Make	Model	Type	Force
<a href="#">5027</a>	WORTHINGTON CREYSSENSAC	TRI SEP 150	Oil Water Separator	1500 m3/h

### Deep Hole Drilling Machine

Code	Make	Model	Type	Max. diameter	Max. length
<a href="#">993</a>	HOLMA		Hydraulic	Ø 24 mm.	400 mm.
<a href="#">5551</a>	IMSA	500 A	CNC SELCA 3035 AD	2,5 ÷ 5 ? 20 ÷ 24 mm.	500 mm.
<a href="#">5438</a>	SIG	B 16 / 0.25		Ø 30 mm.	250 mm.
<a href="#">998</a>	SIG	B 16 / 1,5	Horizontal	Ø 30 mm.	1500 mm.
<a href="#">989</a>	SIG	B 172 / 0,5	Horizontal	Ø 8 - 25 mm.	500 mm.

### Die-Casting Press

Code	Make	Model	Type	Pressure	Table
<a href="#">2720</a>	IMI	AUTOM 6000S	Traditional	1200	1000 x 1000

### Die-Sinking EDM Machine

Code	Make	Model	Type	Ampere	Tank dimensions
<a href="#">5001</a>	AGIE TRON	EMS 15			500 x 275 mm.
<a href="#">2403</a>	CDM	ELECTRA		45 A	800 x 500 mm.
<a href="#">2405</a>	CDM ROVELLA	VEGA PF 180 A	CNC NUM 760	180 A	3000 x 1500 mm.
<a href="#">2406</a>	CDM ROVELLA	ELDIS 560		80 A	1400 x 900 mm.
<a href="#">2397</a>	ONA	PD 4.60 E0	CNC ONA DATIC 7.2	60 A	1700 x 1000 x 650 mm.

### Double Disc Grinder

Code	Make	Model	Type	Wheel diameter	Wheel number
<a href="#">5805</a>	GIUSTINA BESLY	236	Horizontal double disc grinder	915 mm	2
<a href="#">1213</a>	GIUSTINA BESLY	R 224	2 wheels	Ø 660 mm.	2
<a href="#">3875</a>	GIUSTINA BESLY	R 224 V	1 wheel	Ø 500 mm.	1
<a href="#">3872</a>	GIUSTINA BESLY	R 242	CNC NUM 760 R	Ø 914 - 1066 mm.	2
<a href="#">1211</a>	ROWLAND	HDD	2 wheels		2
<a href="#">3874</a>	ROWLAND	HDD	2 wheels	Ø 500 mm.	2
<a href="#">1218</a>	VIOTTO	RLOV 2/200	2 wheels	Ø 350 mm.	2
<a href="#">1216</a>	VIOTTO	RROV	CNC NUM	Ø 450 mm.	2

### Engraving Machine



**B.M. MACCHINE UTENSILI s.r.l.**

Via Edmondo De Amicis, 146 - 10093 Collegno (TO) - ITALY

Tel: (0039) 011-403.11.24 / 011-403.15.79 - Fax: (0039) 011 403.13.28

www.bmtorino.it - bm@bmtorino.it

IT 07417070013

Code	Make	Model	Type	Cross travel	Longitudinal travel
<a href="#">1040</a>	DECKEL	G K II			
<a href="#">1053</a>	DECKEL	KF 1	Digital read-out	200 mm.	300 mm.
<a href="#">1055</a>	PARPAS	PT 17			
<a href="#">1052</a>	PEAR	1 FC 4			
<a href="#">1047</a>	RAMBAUDI	R 3			

## External Grinder

Code	Make	Model	Type	Centres height	Max. grinding length
<a href="#">4743</a>	AKOIN	R - 1000 - CNC	CNC SIEMENS SINUMERIK 810 G	170 mm.	1340 mm.
<a href="#">3879</a>	FRITZ WERNER	3.275 - 1,5	Spline Shaft Grinding		1300 mm.
<a href="#">5825</a>	GIORIA	R/162 - 4000	CNC SIEMENS 840 D	450 mm	4000 mm
<a href="#">1177</a>	GRISSETTI	1000 RTS		150 mm.	1000 mm.
<a href="#">1168</a>	JONES SHIPMAN	1212 M			305 mm.
<a href="#">4606</a>	KAPP	VAS 432	Gear grinding machine		700 mm.
<a href="#">4607</a>	KAPP	VAS 482	Gear grinding machine		700 mm.
<a href="#">3890</a>	KARSTENS	0-30°		170 mm.	
<a href="#">1176</a>	KLEIN	-	Centres grinder		
<a href="#">3889</a>	MODLER	MN 78 ASD	CNC		
<a href="#">1155</a>	MORARA	EMATIC 650 SG		170 mm.	650 mm.
<a href="#">4150</a>	NAXOS UNION		Hydraulic	200 mm.	2000 mm.
<a href="#">3887</a>	OLIVETTI	R4-1200		160 mm.	1200 mm.
<a href="#">3876</a>	PERMAFUSE	GRINDISK CDR 67	Grinder for disk brake		
<a href="#">1116</a>	RASTELLI	R5A		130 mm.	520 mm.
<a href="#">3881</a>	RIBON	RUR 1000		140 mm.	1000 mm.
<a href="#">5084</a>	SAIMP	RP 603		220 mm.	800 mm.
<a href="#">4453</a>	SCHAUDT	-			500 mm.
<a href="#">4454</a>	SCHAUDT	-			500 mm.
<a href="#">1150</a>	TACCHELLA	1013 U	Hydraulic	130 mm.	1000 mm.
<a href="#">1130</a>	TACCHELLA	518 UA	Hydraulic	180 mm.	500 mm.
<a href="#">5387</a>	TACCHELLA	612 U	Hydraulic	120 mm.	600 mm.
<a href="#">1149</a>	TACCHELLA	M 1515 UA	Hydraulic	150 mm.	1500 mm.
<a href="#">5797</a>	ZEMA	NUMERIKA G 1500	CNC FANUC 21-T	140 mm.	1500 mm.
<a href="#">3878</a>	ZOCCA	RU 1500/3L		200 mm.	1500 mm.

## Facing Centering Chamfering

Code	Make	Model	Type	Max. length	Max. diameter
<a href="#">1573</a>	ADIGE	TP 103		900 mm.	Ø 60 mm.
<a href="#">4434</a>	ALLIETTA BONESI	-		150 mm.	Ø 20 mm.
<a href="#">1542</a>	COMAC	SM/TIM/ROT	CNC Z 32	500 mm.	Ø 38 mm.



**B.M. MACCHINE UTENSILI s.r.l.**

Via Edmondo De Amicis, 146 - 10093 Collegno (TO) - ITALY

Tel: (0039) 011-403.11.24 / 011-403.15.79 - Fax: (0039) 011 403.13.28

www.bmtorino.it - bm@bmtorino.it

IT 07417070013

Code	Make	Model	Type	Max. length	Max. diameter
<a href="#">4781</a>	COMINI	FC2T 120			Ø 12 - 120 mm.
<a href="#">1590</a>	COMINI	FC2T 120 x 1000	Hydraulic	60 ÷ 1000 mm.	12 ÷ 120 mm.
<a href="#">5070</a>	COMINI	FC2T 120 x 2500	Hydraulic	60 ÷ 2500 mm.	12 ÷ 120 mm.
<a href="#">5135</a>	COMINI	FC2T 190	Hydraulic	1800 mm.	Ø 190 mm.
<a href="#">1576</a>	CUMAT	BLITZ 50	Mechanical		Ø 65 mm.
<a href="#">1587</a>	DUAP	ZS 30 K		540 mm.	Ø 6 - 50 mm.
<a href="#">1518</a>	ECONOMY	-		400 mm.	Ø 50 mm.
<a href="#">5182</a>	EUROMA				
<a href="#">3705</a>	GF GEORG FISCHER	GF ZM 70		700 mm.	Ø 130 mm.
<a href="#">1488</a>	GUITTI	500		500 mm.	Ø 60 mm.
<a href="#">1486</a>	GUITTI	FCPA 500	Hydraulic	500 mm.	Ø 60 mm.
<a href="#">1582</a>	GUITTI	FCPA 500	Hydraulic	500 mm.	Ø 60 mm.
<a href="#">5594</a>	GUITTI	ICA	Centering machine		
<a href="#">1547</a>	GUITTI	ICA 200	Hydraulic		
<a href="#">1549</a>	GUITTI	ICA 200	Hydraulic		
<a href="#">1552</a>	NUOVA LMP	-		400 mm.	Ø 50 mm.
<a href="#">1550</a>	OCEA	-			
<a href="#">4527</a>	PORTA	-			
<a href="#">4528</a>	PORTA	-			
<a href="#">1502</a>	SICMAT	1100		1100 mm.	Ø 70 - 100 mm.
<a href="#">3701</a>	SICMAT	1500		1500 mm.	Ø 100 mm.
<a href="#">1529</a>	SICMAT	600		600 mm.	Ø 70 mm.
<a href="#">1534</a>	SICMAT	600		600 mm.	Ø 70 - 100 mm.
<a href="#">3702</a>	SICMAT	600	Hydraulic		
<a href="#">4475</a>	SICMAT	600	Hydraulic	600 mm.	
<a href="#">1489</a>	SICMAT	CIR 600	Hydraulic	600 mm.	
<a href="#">1493</a>	SICMAT	CIR 600	Hydraulic	600 mm.	
<a href="#">1491</a>	SICMAT	CIS 600	Hydraulic	600 mm.	Ø 60 mm.
<a href="#">1533</a>	SICMAT	NCIR	Hydraulic	1100 mm.	Ø 70 - 100 mm.
<a href="#">1532</a>	SICMAT	NCIR 600	Hydraulic	600 mm.	
<a href="#">1570</a>	SINICO	SIN-O-MATIC TR60	PLC SIEMENS	550 mm.	Ø 60 mm.
<a href="#">1561</a>	SINICO	SIN-O-MATIC TR60/2.550 S	Hydraulic	540 mm.	Ø 60 mm.
<a href="#">1482</a>	SINICO	TC 60	Hydraulic	600 mm.	Ø 60 mm.
<a href="#">1563</a>	SINICO	TC 60	Hydraulic	600 mm.	Ø 76 mm.
<a href="#">1531</a>	SINICO	TR 60/2.550 S	PLC SIEMENS	540 mm.	Ø 60 mm.
<a href="#">1521</a>	TECNICA TC	-		500 mm.	Ø 70 mm.
<a href="#">1522</a>	TORTI SALGEMMO	TS 65.0		650 mm.	Ø 65 mm.
<a href="#">5242</a>	TOVAGLIERI		Hydraulic	3500 mm.	Ø 250 - 300 mm.
<a href="#">5558</a>	TOVAGLIERI	HYDROCENTER X 2	Hydraulic	180 ÷ 1500 mm.	Ø 20 ÷ 180 mm.
<a href="#">5818</a>	TOVAGLIERI	MACHINTEST M 110	Hydraulic	1500 mm	250 mm
<a href="#">5753</a>	TOVAGLIERI	X 1 E	Hydraulic	1000 mm	90 mm
<a href="#">5810</a>	TOVAGLIERI	X 1 E	Hydraulic	1500 mm	90 mm
<a href="#">1591</a>	VIEMME	T2T / 12	CNC OSAI PILOT	1500 - 5200 mm.	Ø 50 - 200 mm.
<a href="#">3706</a>	VINCENTI	-		600 mm.	



**B.M. MACCHINE UTENSILI s.r.l.**

Via Edmondo De Amicis, 146 - 10093 Collegno (TO) - ITALY

Tel: (0039) 011-403.11.24 / 011-403.15.79 - Fax: (0039) 011 403.13.28

www.bmtorino.it - bm@bmtorino.it

IT 07417070013

## Facing Lathe

Code	Make	Model	Type	Centres height	Turning length
<a href="#">3992</a>	CLOVIS	MERLI 50	Digital read-out on 2 axes	750 mm.	2000 mm.
<a href="#">220</a>	MORANDO	TUF 1		620 mm.	2300 mm.
<a href="#">4334</a>	WMW NILES	DP1 / S2 x 1500		1250 mm.	1500 mm.

## Feeder - Advance - Vibrator

Code	Make	Model	Type	Technical Details
<a href="#">5567</a>	BROVIND COSBERG	OB ADEM	Circular vibrators	Ø 200 ÷ 300 ÷ 350 ÷ 400 ÷ 540
<a href="#">4653</a>	CARICATORE	-	Feeder	
<a href="#">3218</a>	IGOL ALIPRESSE ITALIA	ALP 800	Feeder	600 x 500 mm.
<a href="#">4365</a>	ITALPLANT	ML 6		400 mm.
<a href="#">4364</a>	MEZ	2100	Feeder	2100 mm.
<a href="#">5582</a>	ROLLWASCH ITALIANA	VIBROWASCH RWO AS 1	Dryer	Ø 1300 mm.
<a href="#">4353</a>	SARONNI	64/127/300 E	Feeder	
<a href="#">5220</a>	SIRIO	150.3340.PR	Loader feeder	
<a href="#">5678</a>	SIRIO	B 31 LG	Belt conveyor	1500 x 400 mm.
<a href="#">3235</a>	SNFA	-	Washing machine	
<a href="#">4804</a>	TOSO	500 x 1950	Carpet	2000 x 440 mm.
<a href="#">5254</a>	VEGETTI		Screw vibrators	Vibratori avvitatori
<a href="#">5320</a>	VEGETTI		Vibrators	
<a href="#">5252</a>	VIBRATORI	Vari	Vibrator	

## Flattering - Straightening Machine

Code	Make	Model	Type	Distance
<a href="#">5785</a>			Work rolls for leveller machine	
<a href="#">4350</a>	---	-	Straightening machine with cradle reel	
<a href="#">4351</a>	---	400	Straightener machine	400 mm.
<a href="#">3970</a>	---	M 27.3		350 mm.
<a href="#">4346</a>	CATTANEO	RMP 200	Straightening machine	
<a href="#">4345</a>	CEMA	200	Straightening machine	200 mm.
<a href="#">3971</a>	HENRY WRIGHT	200	Straightening machine	200 mm.
<a href="#">3968</a>	SACMA	RD2 - 165	Straightening machine	1500 x 1 mm. (R=72)
<a href="#">4347</a>	SARONNI	-	Feeder	500 mm.
<a href="#">3620</a>	SARONNI	25 / 500	Straightening machine with cradle reel	500 mm.



**B.M. MACCHINE UTENSILI s.r.l.**

Via Edmondo De Amicis, 146 - 10093 Collegno (TO) - ITALY

Tel: (0039) 011-403.11.24 / 011-403.15.79 - Fax: (0039) 011 403.13.28

www.bmtorino.it - bm@bmtorino.it

IT 07417070013

Code	Make	Model	Type	Distance
<a href="#">3621</a>	SARONNI	64/127/300 E	Straightening machine with cradle reel	300 mm.
<a href="#">4349</a>	TCM	250	Straightening machine with cradle reel	250 mm.

## Floor Type Milling Machine

Code	Make	Model	Type	Cross travel	Longitudinal travel	Vertical travel
<a href="#">4808</a>	ALESAMONTI	MM 60	CNC SELCA 1200		5000 mm.	2000 mm.
<a href="#">5731</a>	FPT	MARX 10	CNC FIDIA M 30		10000 mm.	2500 mm.
<a href="#">5146</a>	JOBS	JOMACH 16	CNC FIDIA C1 5 axis	1100 mm.	5500 mm.	2500 mm.
<a href="#">5442</a>	MECOF	DGT 2	CNC FIDIA	1000 mm.	5000 mm.	1700 mm.
<a href="#">4084</a>	MIVAL	WAT 12.000	CNC HEIDENHAIN 360	1000 mm.	12000 mm.	2000 mm.
<a href="#">5145</a>	NOVAR	DESHORS K 6000	CNC FIDIA C0	1000 mm.	4500 mm.	1800 mm.

## Friction-Screw Press

Code	Make	Model	Type	Technical Details
<a href="#">5250</a>	BILANCIERE	40	Manual Friction-Screw Presses	Ø vite 40 mm.
<a href="#">5249</a>	BILANCIERE	50	Manual Friction-Screw Presses	Ø vite 50 mm.
<a href="#">5248</a>	BILANCIERE	80	Manual Friction-Screw Presses	Ø vite 80 mm.
<a href="#">5247</a>	BILANCIERE 2	80	Manual Friction-Screw Presses	Ø vite 80 mm.

## Gantry Type Milling Machine

Code	Make	Model	Type	Table dimensions	Cross travel	Longitudinal travel
<a href="#">2174</a>	BEGHINI	TF 25 - 1550	Digital read-out on 3 axes	4200 x 1100 mm.		4000 mm.
<a href="#">3793</a>	BERARDI	LINE	Gantry	8000 x 2000 mm.	2000 mm.	8000 mm.
<a href="#">3795</a>	BERARDI	LINE'	Gantry	8000 x 2000 mm.	2000 mm.	8000 mm.
<a href="#">2178</a>	CARNAGHI PIETRO	FP 15	Digital read-out on 3 axes	6000 x 1200 mm.	1200 mm.	6000 mm.
<a href="#">3794</a>	CRAMIC	HV		6000 x 1700 mm.		



**B.M. MACCHINE UTENSILI s.r.l.**

Via Edmondo De Amicis, 146 - 10093 Collegno (TO) - ITALY

Tel: (0039) 011-403.11.24 / 011-403.15.79 - Fax: (0039) 011 403.13.28

www.bmtorino.it - bm@bmtorino.it

IT 07417070013

## Gear Hobbing Machine

Code	Make	Model	Type	Max. module	Max. diameter
<a href="#">4569</a>	BIGANZOLI FM	TM 7 Arrotondatrice	Chamfering machine		
<a href="#">1333</a>	BUZZI	-			
<a href="#">1314</a>	CIMA	P 3 C.H		2,5	Ø 65 - 150 mm.
<a href="#">4938</a>	Creatore VERGNANO	MOD. 24	Hob	24 - 20°	
<a href="#">1328</a>	GLEASON	2010 GMAXX	CNC SIEMENS		
<a href="#">1331</a>	GLEASON	300 CG	CNC FANUC Series 15 M		
<a href="#">1294</a>	GLEASON	725			
<a href="#">1264</a>	KOEPFER SOHNE	130			
<a href="#">1326</a>	LORENZ	LF 300 P		6	Ø 300 mm.
<a href="#">4074</a>	MIKRON	79		1	Ø 40 mm.
<a href="#">4352</a>	MIKRON	79		1	Ø 40 mm.
<a href="#">4545</a>	PFAUTER	P 900		10	Ø 900 mm.
<a href="#">5307</a>	PFAUTER	PA 300		10	Ø 300 mm.
<a href="#">3725</a>	STAEHELY	SH 280		6	Ø 280 mm.
<a href="#">3726</a>	STAEHELY	SH 280		6	Ø 280 mm.
<a href="#">4876</a>	STAEHELY	SH 280		6	Ø 280 mm.
<a href="#">3727</a>	STAEHELY	SH 281			
<a href="#">4612</a>	SYKES	450H	Horizontal Gear	10	Ø 450 mm.
<a href="#">4872</a>	TOS	OF 71		7	Ø 710 mm.
<a href="#">1335</a>	TOS CELAKOVICE	OF 71		7	Ø 710 mm.
<a href="#">1336</a>	WMW MODUL	ZFWZ 30	CNC - H 646 3 axis	30	Ø 3150 mm.

## Gear Shaping Machine

Code	Make	Model	Type	Max. module	Max. diameter
<a href="#">5571</a>	FELLOWS	36-6			Ø 914,40 mm. - 36"
<a href="#">5572</a>	LIEBHERR	WS 1		4	Ø 300 mm.
<a href="#">1356</a>	LORENZ	SRJV.D		4	Ø 180 mm
<a href="#">1355</a>	LORENZ	SRV.D		4	Ø 180 mm.
<a href="#">5311</a>	LORENZ	SV00		4	Ø 180 mm.
<a href="#">1360</a>	OMA	SL 801		5	Ø 285 mm.
<a href="#">3732</a>	PAMA	OMA 805 S		5	Ø 275 mm.
<a href="#">3733</a>	PAMA	OMA 805 S		5	Ø 275 mm.
<a href="#">4850</a>	SYKES	450 H	Horizontal gear machine	10	Ø 450 mm.

## Hammering Machine

Code	Make	Model	Type	Tube capacity	Die dimensions
<a href="#">2203</a>	MINO	322		Ø 35 x 1 mm.	45 x 350 mm.



**B.M. MACCHINE UTENSILI s.r.l.**

Via Edmondo De Amicis, 146 - 10093 Collegno (TO) - ITALY

Tel: (0039) 011-403.11.24 / 011-403.15.79 - Fax: (0039) 011 403.13.28

www.bmtorino.it - bm@bmtorino.it

IT 07417070013

## Horizontal Balancing Machine

Code	Make	Model	Type	Force	Max. length
<a href="#">1227</a>	ELETTORAVA	K 100 B	For cylinders	1 - 100 Kg.	1200 mm.
<a href="#">1229</a>	ELETTORAVA	K 60 BL		0,6 - 60 Kg.	2000 mm.

## Horizontal Machining Center

Code	Make	Model	Type	Cross travel	Longitudinal travel	Vertical travel
<a href="#">4266</a>	BURKHARDT WEBER	MC 60	CNC SIEMENS 810 M	630 mm.	800 mm.	630 mm.
<a href="#">4589</a>	COLGAR	PROG 200 TR 9 P	CNC E.C.S. 2601	2000 mm.	2500 mm.	2000 mm.
<a href="#">3112</a>	HURON	CU 102	CNC ECS 2801	700 mm.	1000 mm.	800 mm.
<a href="#">4048</a>	POSALUX	MULTOPER S 6CNC 6S	CNC BOSCH TYP 1			
<a href="#">3119</a>	SAIMP	MECTRA 16	CNC HEIDENHAIN TNC 415	1300 mm.	3000 mm.	1700 mm.

## Hydraulic Press

Code	Make	Model	Type	Pressure	Table
<a href="#">2680</a>	ATES		C-frame		
<a href="#">2627</a>	ATREMA	K 12	C-frame	12	400 x 400 mm.
<a href="#">2598</a>	ATREMA	KBG 12	C-frame	12	Ø 550 mm.
<a href="#">2650</a>	ATREMA	KT 100	C-frame		
<a href="#">2690</a>	ATREMA	KT 60	C-frame	60	1400 x 320 mm.
<a href="#">2716</a>	ATREMA	KTB 2	C-frame	2	220 x 220 mm.
<a href="#">2520</a>	BENAG	200	Double sided	200	
<a href="#">2611</a>	BROSI	5	C-frame	5	
<a href="#">2491</a>	BROSI	KE 15	C-frame	15	450 x 450 mm.
<a href="#">4082</a>	BROSI	KTB 5	C-frame	5	280 x 280 mm.
<a href="#">2498</a>	CAVENAGHI & RIDOLFI	3/63828	Double sided	200	1000 x 800 mm.
<a href="#">2492</a>	CAVENAGHI & RIDOLFI	CROPIS 650	Double sided	650	2500 x 1800 mm.
<a href="#">2527</a>	DELLAVIA	COBLENZA 60	C-frame	60	700 x 500 mm.
<a href="#">3828</a>	DENISON	8	C-frame	8	
<a href="#">3829</a>	DENISON	8	C-frame	8	
<a href="#">2481</a>	EITEL	P 16 B	C-frame	16	400 x 400 mm.
<a href="#">2621</a>	EMANUEL	MB 160	C-frame	160	
<a href="#">2622</a>	EMANUEL	MB 300	C-frame	300	
<a href="#">2623</a>	EMANUEL	MB 300	C-frame	300	



**B.M. MACCHINE UTENSILI s.r.l.**

Via Edmondo De Amicis, 146 - 10093 Collegno (TO) - ITALY

Tel: (0039) 011-403.11.24 / 011-403.15.79 - Fax: (0039) 011 403.13.28

www.bmtorino.it - bm@bmtorino.it

IT 07417070013

Code	Make	Model	Type	Pressure	Table
<a href="#">3843</a>	EMANUEL	MR 25	C-frame	25	600 x 450 mm.
<a href="#">2679</a>	EMANUEL	MS 25 SB	C-frame	25	400 x 400 mm.
<a href="#">3833</a>	EMANUEL	MSD 25	C-frame	25	400 x 400 mm.
<a href="#">3841</a>	ENERPAC	-	4 Columns		350 x 350 mm.
<a href="#">2688</a>	F.LLI NAVA	2 MPS 100	Die-spotting press	100	1900 x 1800 mm.
<a href="#">2585</a>	FIAT	PIV 20	C-frame	20	500 x 270 mm.
<a href="#">2589</a>	FIAT	PIV 20	C-frame	20	500 x 300 mm.
<a href="#">2586</a>	FIAT	PIV 20 / T	C-frame	20	500 x 270 mm.
<a href="#">2587</a>	FIAT	PIV 20 / T	C-frame	20	500 x 270 mm.
<a href="#">2588</a>	FIAT	PIV 20 / T	C-frame	20	500 x 270 mm.
<a href="#">2603</a>	FLUID PRESS	AC - BE	C-frame	25	720 x 570 mm.
<a href="#">2709</a>	G.E.		C-frame		
<a href="#">2615</a>	GALDABINI	10	C-frame	10	400 x 400 mm.
<a href="#">2641</a>	GALDABINI	RPR / 2 C	C-frame	2	450 x 440 mm.
<a href="#">2594</a>	GALDABINI	RPR / 50	C-frame	50	560 x 560 mm.
<a href="#">2597</a>	GALDABINI	RPR / 6	C-frame	6,3	
<a href="#">5051</a>	GALDABINI	RPR / 6	C-frame	6,3	
<a href="#">2642</a>	GALDABINI	RPRI / 40 aed	C-frame	40	690 x 540 mm.
<a href="#">3827</a>	GALDABINI	RPRI/100 pc	C-frame	100	810 x 610 mm.
<a href="#">5534</a>	GALDABINI	RPRIC 50	C-frame	50	720 x 560 mm.
<a href="#">2689</a>	GALDABINI	RPRP/100	C-frame	100	610 x 610 mm.
<a href="#">2595</a>	GALDABINI	RPRS / 6	C-frame	6,3	300 x 300 mm.
<a href="#">5042</a>	GALDABINI	RPRT / 4 pv	C-frame	4	370 x 300 mm.
<a href="#">2514</a>	GALFER	M 12/2	C-frame	12	900 x 400 mm.
<a href="#">2648</a>	GALFER	M 6		6	750 x 420 mm.
<a href="#">2526</a>	GALFER	M 80/2	C-frame	80	1200 x 680 mm.
<a href="#">5717</a>	GALFER	ME 10 / 1	C-frame	10	650 x 380 mm.
<a href="#">5784</a>	GALFER	ME 30/2	C-frame	30	900 x 520 mm.
<a href="#">2482</a>	GALFER	ME 80	C-frame	80	1750 x 850 mm.
<a href="#">2508</a>	GIGANT	GTP 40/2EE	C-frame	40	800 x 500 mm.
<a href="#">2694</a>	HI.TEC.	HITE.O.IP	2 columns		
<a href="#">2668</a>	HYDROPOWER	CC - TR	C-frame	7,5	Ø 600 mm.
<a href="#">2666</a>	HYDROPOWER	CTR	C-frame	7,5	320 x 300 mm.
<a href="#">2669</a>	HYDROPOWER	CTR	C-frame	7,5	Ø 600 mm.
<a href="#">2708</a>	HYDROPOWER	CTR - AP	C-frame	7,5	
<a href="#">5813</a>	JENNY	ERP 25	Hydraulic straightening press	25	2000 ÷ 6400 x 350 mm
<a href="#">5524</a>	MOSSINI	PO/2M/P 400	Double sided	400	3000 x 1800 mm.
<a href="#">2538</a>	MULLER	ZE 315-16.6.1	Double sided	315	1600 x 1100 mm.
<a href="#">5809</a>	OMCN	ART 156 MR	Double sided	20	510 x 140 mm
<a href="#">2569</a>	ORLANDI GOZZI	-	4 Columns		1000 x 1000 mm.
<a href="#">2577</a>	RUDOLF STAEHELY	-	C-frame		320 x 320 mm.
<a href="#">2590</a>	RUDOLF STAEHELY	-	C-frame		320 x 320 mm.
<a href="#">2663</a>	SANDRETTO A.R.L. 2	50	C-frame	50	700 x 600 mm.
<a href="#">3831</a>	SASSI	-			





**B.M. MACCHINE UTENSILI s.r.l.**

Via Edmondo De Amicis, 146 - 10093 Collegno (TO) - ITALY

Tel: (0039) 011-403.11.24 / 011-403.15.79 - Fax: (0039) 011 403.13.28

www.bmtorino.it - bm@bmtorino.it

IT 07417070013

Code	Make	Model	Type	Pressure	Table
<a href="#">2484</a>	SICMAT	PIV 15	C-frame	15	800 x 350 mm.
<a href="#">2649</a>	STEFFENINI	-	C-frame		700 x 500 mm.
<a href="#">2477</a>	STEFFENINI	100 T	C-frame	100	1100 x 700 mm.
<a href="#">2583</a>	TECNOPRES	K 25	C-frame	25	450 x 450 mm.
<a href="#">2579</a>	TECNOPRES	PIV 20	C-frame	20	500 x 270 mm.
<a href="#">2580</a>	TECNOPRES	PIV 20	C-frame	20	450 x 350 mm.
<a href="#">2581</a>	TECNOPRES	PIV 20	C-frame	20	500 x 270 mm.
<a href="#">2531</a>	TERENZIO L.	125 GAUT	Double sided	125	500 x 500 mm.
<a href="#">4526</a>	VAPTSAROV	nxy 250	C-frame	25	630 x 530 mm.
<a href="#">2674</a>	VELOCETTE		C-frame		200 x 150 mm.
<a href="#">2675</a>	VELOCETTE		C-frame		200 x 150 mm.
<a href="#">3834</a>	WALTER NEFF	6S 40 RZF	C-frame	6	450 x 350 mm.
<a href="#">4776</a>	WALTER NEFF	S 40	C-frame	40	650 x 540 mm.
<a href="#">3842</a>	Z	-	Bench		210 x 200 mm
<a href="#">5090</a>	Z	--			350 x 250 mm.
<a href="#">4763</a>	Z	---	Bench type		800 x 450 mm.
<a href="#">5824</a>	Z	----			450 x 400 mm

## Industrial Electric Furnace

Code	Make	Model	Type	Technical Details
<a href="#">5588</a>			Hardening induction furnace	
<a href="#">4448</a>	CIROLDI	PIROZETA 1,5	Paint stripping system	450°
<a href="#">3244</a>	CMS	DM XH 2 A		1400°
<a href="#">4691</a>	GH ELECTRO TERMIA	-	Hardening induction furnace	
<a href="#">5409</a>	SIATEM	STOE RP 60	Hardening induction	60 KW

## Internal Grinder

Code	Make	Model	Type	Min/Max. grinding diameter	Max. grinding length
<a href="#">3891</a>	GRESSEL	VSS 150	For valves	Ø 15 / 150 mm.	
<a href="#">4930</a>	MORARA	MICRO I		Ø 3 - 40 mm.	70 mm.
<a href="#">4931</a>	MORARA	MICRO I / E		Ø 3 - 40 mm.	70 mm.
<a href="#">5399</a>	MORARA	REU 850			
<a href="#">5401</a>	MORARA	RI S 650		Ø 3 - 250 mm.	
<a href="#">5402</a>	NOVA	10 / 135			
<a href="#">1185</a>	NOVA	A-SM		Ø 10 - 150 mm.	240 mm.
<a href="#">3892</a>	NOVA	A-SM		Ø 10 - 150 mm.	240 mm.
<a href="#">3895</a>	NOVA	A-SM		Ø 10 - 150 mm.	240 mm.
<a href="#">4622</a>	REINECKER	IPASA 200	CNC SIEMENS 840D	Ø 10 - 250 mm.	550 mm.
<a href="#">1182</a>	REINECKER	ISA 10		Ø 6 - 100 mm.	150 mm.



**B.M. MACCHINE UTENSILI s.r.l.**

Via Edmondo De Amicis, 146 - 10093 Collegno (TO) - ITALY

Tel: (0039) 011-403.11.24 / 011-403.15.79 - Fax: (0039) 011 403.13.28

www.bmtorino.it - bm@bmtorino.it

IT 07417070013

Code	Make	Model	Type	Min/Max. grinding diameter	Max. grinding length
<a href="#">5391</a>	RIBON	RI 200			200 mm.
<a href="#">5394</a>	RIBON	RI 200			
<a href="#">5392</a>	RIBON	RI 250			
<a href="#">3894</a>	SMIRG	-	Valve seats grinder		
<a href="#">4837</a>	VOUMARD	5 AP		Ø 5 - 200 mm.	250 mm.
<a href="#">1193</a>	VOUMARD	52 A		Ø 10 - 200 mm.	200 mm.

### Knee Type Milling Machine

Code	Make	Model	Type	Table dimensions	Cross travel	Longitudinal travel
<a href="#">5490</a>	---		Vertical	1300 x 330 mm.		
<a href="#">2052</a>	ARNO NOMO VALDAGNO	Tipo 30	Vertical	1550 x 350 mm.	330 mm.	1150 mm.
<a href="#">5796</a>	ARNO NOMO	Tipo 20		1250 x 270 mm.	290 mm.	900 mm.
<a href="#">5800</a>	C.B. FERRARI	F42 E	CNC ELEXA E132	850 x 395 mm.	400 mm.	800 mm.
<a href="#">2088</a>	CERNOTTO	MARK	CNC FAGOR 8020	1250 x 360 mm.	350 mm.	800 mm.
<a href="#">1993</a>	DECKEL	FP 1		600 x 210 mm.	150 mm.	250 mm.
<a href="#">3789</a>	DECKEL	FP 1		600 x 210 mm.	150 mm.	250 mm.
<a href="#">5688</a>	DECKEL	FP 1			150 mm.	250 mm.
<a href="#">2134</a>	DI PALO	DPR 101		600 x 210 mm.	130 mm.	250 mm.
<a href="#">2059</a>	EROS	-		800 x 540 mm.		
<a href="#">3785</a>	EROS	-	CNC BOSCH ALPHA	600 x 250 mm.	350 mm.	550 mm.
<a href="#">3783</a>	FAGIMA	-	CN HEIDENHAIN TNC 131	1400 x 300 mm.	200 mm.	1000 mm.
<a href="#">2116</a>	FRITZ WERNER	8.101	Horizontal	900 x 300 mm.	160 mm.	500 mm.
<a href="#">3787</a>	GIANNOTTI	GM 5	Pneumatic	700 x 200 mm.	180 mm.	280/320 mm.
<a href="#">2118</a>	GIANNOTTI	GM 5 HL	Hydraulic	700 x 200 mm.	180 mm.	280/320 mm.
<a href="#">2125</a>	GIANNOTTI	GM 7 HL	Hydraulic	850 x 220 mm.	220 mm.	450 mm.
<a href="#">1936</a>	GRAZIOLI	LUDOR 2	Horizontal	1500 x 320 mm.	280 mm.	860 mm.
<a href="#">5802</a>	GUALDONI	E 50	Digital read-out	1200 x 300 mm.	300 mm.	850 mm.
<a href="#">5318</a>	GUALDONI	FU 77 GTV	Digital read-out	1400 x 300 mm.	300 mm.	1000 mm.
<a href="#">2119</a>	GUALDONI	G 61 Z	Horizontal	680 x 200 mm.	110 mm.	250 mm.
<a href="#">2120</a>	GUALDONI	G 61 Z	Horizontal	680 x 200 mm.	110 mm.	250 mm.
<a href="#">2146</a>	INDUMA	MM 200	Universal	1500 x 310 mm.	315 mm.	1100 mm.
<a href="#">2013</a>	MAHO	HW 800		900 x 380 mm.	300 mm.	500 mm.
<a href="#">3791</a>	MOMAC	FU 2	Horizontal	1400 x 300 mm.	300 mm.	1000 mm.
<a href="#">3782</a>	OERLIKON	M10 H	CNC SELCA	1800 x 400 mm.	400 mm.	1100 mm.
<a href="#">2051</a>	OERLIKON	MN 2 U	Horizontal	1300 x 300 mm.	295 mm.	800 mm.
<a href="#">2129</a>	OERLIKON	MN 2V		1300 x 300 mm.	300 mm.	800 mm.
<a href="#">5016</a>	RAMBAUDI	KSP	Universal	1400 x 370 mm.		
<a href="#">5493</a>	RAMBAUDI	KV	Vertical	1600 x 370 mm.	400 mm.	1200 mm.



**B.M. MACCHINE UTENSILI s.r.l.**

Via Edmondo De Amicis, 146 - 10093 Collegno (TO) - ITALY

Tel: (0039) 011-403.11.24 / 011-403.15.79 - Fax: (0039) 011 403.13.28

www.bmtorino.it - bm@bmtorino.it

IT 07417070013

Code	Make	Model	Type	Table dimensions	Cross travel	Longitudinal travel
<a href="#">5607</a>	RAMBAUDI	KVO	Universal	1600 x 450 mm.	400 mm.	1250 mm.
<a href="#">1943</a>	RAMBAUDI	M 3	Digital read-out	1300 x 300 mm.	270 mm.	950 mm.
<a href="#">3786</a>	RAMBAUDI	M 3		1300 x 300 mm.	270 mm.	950 mm.
<a href="#">5177</a>	RAMBAUDI	M 3	Digital read-out	1300 x 300 mm.	270 mm.	950 mm.
<a href="#">1937</a>	RAMBAUDI	MS 3	Universal	1300 x 300 mm.	270 mm.	950 mm.
<a href="#">2130</a>	RAMBAUDI	MS 3	Universal	1300 x 300 mm.	270 mm.	950 mm.
<a href="#">2018</a>	REMAC	-				
<a href="#">2149</a>	ROSSI	-	Horizontal	900 x 200 mm.		
<a href="#">2145</a>	RUSSA	6412	Vertical	1300 x 320 mm.	320 mm.	950 mm.
<a href="#">4154</a>	TIGER	FU 120	Universal	1300 x 300 mm.	300 mm.	920 mm.
<a href="#">1965</a>	TREIB	12		510 x 180 mm.	100 mm.	
<a href="#">3781</a>	VOLLMA	JK 2		340 x 110 mm.		
<a href="#">2075</a>	WANDERER	11 F	Vertical	1250 x 350 mm.		

### Lapping-Honing Machine

Code	Make	Model	Type	Travel	Min. diameter	Max. diameter
<a href="#">1014</a>	GEHRING	1 Z 400-101	Cylinders	300 mm.	Ø 20 mm.	Ø 160 mm.
<a href="#">1011</a>	GEHRING	1 Z 600-12	Cylinders	450 mm.	Ø 50 mm.	Ø 200 mm.
<a href="#">3800</a>	MELCHIORRE	ELV1 / 750	CNC SIEMENS	730 mm.	Ø 50 mm.	Ø 190 mm.
<a href="#">1016</a>	NAGEL	KV 10	Cylinder	100 mm.		
<a href="#">1017</a>	NAGEL	KV 10	Cylinder	100 mm.		
<a href="#">1003</a>	NAGEL	SM 6	Cylinder			
<a href="#">5081</a>	NAGEL	VS 8 - 50		500 mm.	Ø 10 mm.	Ø 120 mm.
<a href="#">3799</a>	ROBBI	3000	Horizontal	3000 mm.		
<a href="#">4783</a>	WOLTERS PETER	IL 12	Vertical	160 mm.	Ø 5 mm.	Ø 40 mm.

### Lift Truck - Moving

Code	Make	Model	Type	Force	Max. height travel
<a href="#">3098</a>	---	-			
<a href="#">3696</a>	ATA	TIS 2500	Lift truck	25 q.li	
<a href="#">3105</a>	BP	-	Electrical	10 q.li	
<a href="#">3095</a>	CATERPILLAR	V 80 D	Diesel	40 q.li	4320 mm
<a href="#">5543</a>	CESAB	ECO KD 16.1	Electrical lift truck	16 Q.li	4200 mm.
<a href="#">3686</a>	CESAB	SI 2000	Electrical lift truck	14 q.li	
<a href="#">4375</a>	CLARK	50	Diesel lift truck	5000 kg	4200 mm
<a href="#">3682</a>	CLARK	DCY 250 S/PD	Diesel lift truck	110 q.li	5300 mm. ca.
<a href="#">3094</a>	COLES	40 T	Crane truck	320 q.li	
<a href="#">3697</a>	CORAL	TICINO EP 103	Electrical lift truck	12 q.li.	
<a href="#">3693</a>	DELMACH	DC 250	Pick and Carry Diesel Crane	250 q.li	9 mt
<a href="#">4251</a>	DEMAG	1000	Jib crane	10 q.li	3000 mm.



**B.M. MACCHINE UTENSILI s.r.l.**

Via Edmondo De Amicis, 146 - 10093 Collegno (TO) - ITALY

Tel: (0039) 011-403.11.24 / 011-403.15.79 - Fax: (0039) 011 403.13.28

www.bmtorino.it - bm@bmtorino.it

IT 07417070013

Code	Make	Model	Type	Force	Max. height travel
<a href="#">5420</a>	DEMAG	PK 2 N F	Jib crane	500 Kg.	
<a href="#">5749</a>	DEMAG DONATI			1,5 ÷ 5 ton	
<a href="#">3096</a>	FENWICK		Electrical lift truck	15 q.li	
<a href="#">3090</a>	FENWICK	SEV 205	Electrical lift truck	20 q.li	5350 mm.
<a href="#">5776</a>	FIAT IVECO	175 24	Truck	10.150 Kg	
<a href="#">3104</a>	HYSTER	-	Electronic	20 q.li	3800 mm.
<a href="#">3081</a>	HYSTER	E 120 B	Electrical lift truck	40 q.li.	3650 mm.
<a href="#">3687</a>	JUNGHEINRICH	AMEISE	Electrical lift truck	20 q.li.	
<a href="#">3097</a>	JUNGHEINRICH	RAPID	Electrical lift truck		
<a href="#">3692</a>	KOMATSU	FD 20	Diesel lift truck	20 q.li.	
<a href="#">3691</a>	KOMATSU	FG 15/10	Lift truck	15 q.li.	
<a href="#">3080</a>	LINDE	E 25	Electrical lift truck	25 q.li	
<a href="#">4395</a>	LUGLI	100	Diesel	100 q.li	3200 mm.
<a href="#">4394</a>	LUGLI	L 50	Diesel lift truck	5000 Kg	3200 mm
<a href="#">3676</a>	MAS	-	Trolley hydraulic crane	20 q.li	
<a href="#">3103</a>	NISSAN	FGJO 2A 30U	Diesel	30 q.li	4000 mm.
<a href="#">5271</a>	OFD F.lli DONATI	250	Electric chain hoist	2,5 q.li	
<a href="#">3694</a>	OM	DIM 35	Diesel lift truck	35 q.li	
<a href="#">3690</a>	OM	DM 15	Diesel lift truck	15 q.li	
<a href="#">3684</a>	OM	E 20 N	Electrical lift truck	20 q.li	
<a href="#">3091</a>	OMCN	222	Trolley hydraulic crane	30 q.li	
<a href="#">3083</a>	ORMIG	55 i	Crane truck	60 q.li.	6000 mm.
<a href="#">3681</a>	ORMIG	75 M	Crane truck Diesel	75 q.li	
<a href="#">3695</a>	ORMIG	85 i	Pick and Carry Diesel Crane	85 q.li	8 mt
<a href="#">4549</a>	PARACCHI	1 T	Bridge crane	10 q.li	
<a href="#">4548</a>	PARACCHI	10 T	Bridge crane	100 q.li	
<a href="#">4640</a>	PARACCHI	32 T	Gantry Crane	32 Tonn	
<a href="#">3689</a>	TOYOTA	15	Electrical lift truck	15 q.li	

## Linear Drilling Machine

Code	Make	Model	Type	Technical Details
<a href="#">3753</a>	TABONI	L 40x3000		

## Measuring Machine

Code	Make	Model	Type
<a href="#">5475</a>	AFFRI	206 RTD	Digital hardness tester
<a href="#">5712</a>	CARTON		Microscope
<a href="#">2781</a>	COORD	TR 40	Precision tracing machine
<a href="#">5154</a>	COORD 3	TR 25 S	
<a href="#">5142</a>	COORD 3 METRIS	TRT / B	Automatic - Gantry



**B.M. MACCHINE UTENSILI s.r.l.**

Via Edmondo De Amicis, 146 - 10093 Collegno (TO) - ITALY

Tel: (0039) 011-403.11.24 / 011-403.15.79 - Fax: (0039) 011 403.13.28

www.bmtorino.it - bm@bmtorino.it

IT 07417070013

Code	Make	Model	Type
<a href="#">5670</a>	FRATELLI ROTONDI		Granite control scale
<a href="#">5637</a>	GALDABINI	CTM 20	Tensil test machine
<a href="#">5400</a>	GALILEO		Hardness tester
<a href="#">5494</a>	GALILEO		
<a href="#">5658</a>	GALILEO		Hardness tester
<a href="#">2753</a>	GALILEO	-	Hardness tester
<a href="#">4707</a>	HURTH	VRP 500	
<a href="#">4666</a>	MAAG	PH 60	Gear testing machine
<a href="#">2722</a>	MICROTECNICA	P 600	Profile projector
<a href="#">5407</a>	MICROTECNICA	P 600 A	Digital read-out
<a href="#">5408</a>	MICROTECNICA	P 600 B	
<a href="#">5708</a>	MIM	BIDUROMIM	Portable hardness tester
<a href="#">5372</a>	MITUTOYO	CP 701620 CNC	Automatic double surface gauge
<a href="#">4307</a>	OSAT COORD 3	TR 25 S	Precision tracing machine
<a href="#">5245</a>	POLI	GLOBO	Manual surface gauge
<a href="#">2782</a>	POLI	TCX 3000	Precision tracing machine
<a href="#">5353</a>	POLI	WINNER	Surface gauge
<a href="#">5696</a>	RIGA	Vari modelli	Control scale
<a href="#">5694</a>	ROTONDI	TRICOORD SFE 1212	Heidenhain visualizer
<a href="#">5476</a>	ROTONDI FA RO	TRICOORD	Surface gauge
<a href="#">4842</a>	TESA	HITE 600	Altimeter
<a href="#">4412</a>	WERTH	-	Projectors
<a href="#">2787</a>	WILSON	5 JR	Hardness tester
<a href="#">5728</a>	ZWICK	MICROHARTE 3104 H04	Hardness tester

## Mechanical Press

Code	Make	Model	Type	Pressure	Table
<a href="#">4431</a>	-	-	C-frame		570 x 360 mm.
<a href="#">4432</a>	-	-	C-frame		550 x 400 mm.
<a href="#">4433</a>	-	-	C-frame		480 x 330 mm.
<a href="#">2366</a>	A. COLOMBO	107.A.200	Double sided	200	1000 x 700 mm.
<a href="#">2265</a>	A. COLOMBO	C 25	C-frame	25	760 x 390 mm.
<a href="#">5532</a>	A. COLOMBO	F 25	C-frame	25	760 x 400 mm.
<a href="#">2367</a>	A. COLOMBO	F 40	C-frame	40	850 x 450 mm.
<a href="#">2228</a>	BALCONI	MTS	C-frame	25	650 x 400 mm.
<a href="#">2220</a>	BENELLI	PEF	C-frame	100	830 x 500 mm.
<a href="#">2262</a>	BENELLI	PEI	C-frame	60	700 x 450 mm.
<a href="#">2310</a>	BLISS	S1-150	Double sided	150	698 x 840 mm.
<a href="#">2325</a>	BLISS	S2-175-48-36	Double sided	175	1200 x 900 mm.
<a href="#">2294</a>	CERINI	CC RIF 120	C-frame	120	1000 x 650 mm.
<a href="#">2252</a>	CLUANA	25	C-frame	25	550 x 360 mm.
<a href="#">2245</a>	CLUANA	NP 250	C-frame	250	1400 x 870 mm.
<a href="#">5298</a>	COLOMBO	40	C-frame	40	710 x 500 mm.



**B.M. MACCHINE UTENSILI s.r.l.**

Via Edmondo De Amicis, 146 - 10093 Collegno (TO) - ITALY

Tel: (0039) 011-403.11.24 / 011-403.15.79 - Fax: (0039) 011 403.13.28

www.bmtorino.it - bm@bmtorino.it

IT 07417070013

Code	Make	Model	Type	Pressure	Table
<a href="#">3850</a>	DALLE MOLLE	AP 63 R	C-frame	63	800 x 500 mm.
<a href="#">3845</a>	DELLAVIA	PADOVA	C-frame	25	600 x 350 mm.
<a href="#">3862</a>	G. MARCATI	GML 35 IR	C-frame	35	750 x 400 mm.
<a href="#">2336</a>	GALATO	T 50	C-frame	50	660 x 450 mm.
<a href="#">2296</a>	GALATO	T 60	C-frame	60	660 x 430 mm.
<a href="#">5123</a>	ICO Olivetti		C-frame		600 x 360 mm.
<a href="#">5297</a>	IMV	40	C-frame	40	700 x 420 mm.
<a href="#">2281</a>	INVERPRESS	TIAR/S	C-frame	90	1000 x 530 mm.
<a href="#">2348</a>	MA.TE	MPE-4-400	Facing	100	700 x 400 mm.
<a href="#">4282</a>	MABU	15 RFK	C-frame	12	
<a href="#">5237</a>	MINI POW	M 300	Press with rotary table		
<a href="#">5630</a>	OFB	200	C-frame	200	1250 x 700 mm.
<a href="#">3857</a>	OTI	100	Double sided	100	550 x 530 mm.
<a href="#">5764</a>	RADAELLI	MEDITERRANEO 4	C-frame press	300	2230 x 1150 mm
<a href="#">2383</a>	RAIMONDI	220 FZI	C-frame	220	1200 x 800 mm.
<a href="#">2346</a>	ROCHE	2 MBV 100	Double sided	100	1100 x 900 mm.
<a href="#">2286</a>	ROCHE	CDR 45	C-frame	45	750 x 500 mm.
<a href="#">2243</a>	SAN GIACOMO	T 20 CE	C-frame	20	450 x 300 mm.
<a href="#">2244</a>	SAN GIACOMO	T 20 CE	C-frame	20	450 x 300 mm.
<a href="#">2323</a>	SPIERTZ	Pi 5 SASS	C-frame	50	800 x 450 mm.
<a href="#">2360</a>	SPIERTZ	Pi 5 SASS	C-frame	50	800 x 430 mm.
<a href="#">2387</a>	SPIERTZ	Pi 5 SASS	C-frame	50	
<a href="#">2261</a>	STANKOIMPORT	K 2130 A	C-frame	100	850 x 560 mm.
<a href="#">5243</a>	STANKOIMPORT	K 2130 B	C-frame	100	850 x 560 mm.
<a href="#">5652</a>	Z	40	C-frame	40	640 x 410 mm.
<a href="#">5651</a>	Z	60	C-frame	60	750 x 450 mm.

## Motor Grinder

Code	Make	Model	Type	Centres height	Distance between centres
<a href="#">1122</a>	TOYODA	GCN 15-100	Camshaft grinding	150 mm.	1000 mm.

## Multi-Spindle Lathe

Code	Make	Model	Type	Spindles number
<a href="#">4403</a>	DONATINI	AS 16	Multi spindle chucking automatic	
<a href="#">4404</a>	DONATINI	AS 16	Multi spindle chucking automatic	
<a href="#">4027</a>	GILDEMEISTER	ASH 190		
<a href="#">491</a>	GRIDLEY	1 RA 6		6
<a href="#">495</a>	GRIDLEY	1 RA 6		6



**B.M. MACCHINE UTENSILI s.r.l.**

Via Edmondo De Amicis, 146 - 10093 Collegno (TO) - ITALY

Tel: (0039) 011-403.11.24 / 011-403.15.79 - Fax: (0039) 011 403.13.28

www.bmtorino.it - bm@bmtorino.it

IT 07417070013

Code	Make	Model	Type	Spindles number
<a href="#">4028</a>	HERBERT BSA -			6
<a href="#">5550</a>	HERBERT BSA -			6
<a href="#">504</a>	PITTLER	PRC 25/8		8
<a href="#">505</a>	PITTLER	PRC 25/8		8
<a href="#">4331</a>	PITTLER ACME GRIDLEY	50 / 6		6

### Multi-Spindles Drilling Machine

Code	Make	Model	Type	Spindles number	Table dimensions
<a href="#">3125</a>	AUDAX	50 MPR		10	1000 x 560 mm.
<a href="#">4465</a>	BERARDI	VB III			
<a href="#">4466</a>	BERARDI	VB III			
<a href="#">3131</a>	CABER	72	CNC ICEM 401	12	700 x 540 mm.
<a href="#">4163</a>	FAMUP	DRILLCENTER 3 T			1780 x 560 mm.
<a href="#">4467</a>	FIAT	TM		12	
<a href="#">4468</a>	FIAT	TM 12			
<a href="#">3137</a>	MAHE	-		2	300 x 120 mm.
<a href="#">5036</a>	SASS	FM 16	Hydraulic	16	
<a href="#">3147</a>	VIGEL	ETA / 1 / B			
<a href="#">3139</a>	WALCE	-	Hydraulic	10	600 x 550 mm.

### Pendular Borer

Code	Make	Model	Type	Technical Details
<a href="#">4449</a>	POWER MATIC	-		
<a href="#">3606</a>	TEMA	ALV 320	Vertical	Ø 45 - 135 x 90 - 160 mm.
<a href="#">3655</a>	VIGEL	-	Vertical	

### Planer

Code	Make	Model	Type	Table dimensions	Longitudinal travel
<a href="#">1069</a>	CARNAGHI MARIO	KR 200	Mechanical	4000 x 1600 mm.	4000 mm.
<a href="#">1077</a>	CARNAGHI PIETRO	FP 15	Digital read-out	6000 x 1200 mm.	
<a href="#">1068</a>	PENSOTTI E.	-	Mechanical	3000 x 1700 mm.	3000 mm.

### Plate

Code	Make	Model	Type	Quantity	Technical Details
<a href="#">3319</a>	0400x0400	-	Cast iron surface plate		400 x 400 x 90 mm.
<a href="#">5553</a>	0500x0400			5	500 x 400 x 80 mm.
<a href="#">3321</a>	0515x0515	-	Cast iron surface plate		515 x 515 x 100 mm.



**B.M. MACCHINE UTENSILI s.r.l.**

Via Edmondo De Amicis, 146 - 10093 Collegno (TO) - ITALY

Tel: (0039) 011-403.11.24 / 011-403.15.79 - Fax: (0039) 011 403.13.28

www.bmtorino.it - bm@bmtorino.it

IT 07417070013

Code	Make	Model	Type	Quantity	Technical Details
<a href="#">3322</a>	0515x0515	-	Cast iron surface plate		515 x 515 x 100 mm.
<a href="#">5305</a>	0540x0400		T Slotted Surface Plate		540 x 400 x 70 mm.
<a href="#">4262</a>	0600x0400	-	Cast iron surface plate		600 x 400 x 110 mm.
<a href="#">5606</a>	0630x0630			4	630 x 630 x 165 mm.
<a href="#">5806</a>	0715x0470		Cast iron surface plate	1	715 x 470 x 90 mm.
<a href="#">5677</a>	0900x0500		T Slotted Surface Plate	1	900 x 500 x 70 mm.
<a href="#">4771</a>	1000x0850	-	Cast iron surface plate	1	1000 x 850 x 150 mm.
<a href="#">4577</a>	1000x800	-	T Slotted Surface Plate		1000 x 800 x 100 mm.
<a href="#">5101</a>	1200x0520		T Slotted Surface Plate		1200 x 520 x 160 mm.
<a href="#">5225</a>	1200x1200	CROWN WINDLEY	Granite surface plate		1200 x 1200 x 210 mm.
<a href="#">5350</a>	1295x295		Parallelepiped with T quarries		1295 x 295 x 195 ÷ 295 mm.
<a href="#">5104</a>	1300x0300	Rambaudi	T Slotted Surface Plate		1300 x 300 mm.
<a href="#">5600</a>	1400x400			1	1400 x 400 x 140 mm.
<a href="#">5202</a>	1500x0500	.	Cast iron surface plate		1500 x 500 x 130 mm.
<a href="#">3351</a>	1500x0700	-	Cast iron surface plate		1500 x 700 x 120 mm.
<a href="#">5200</a>	1500x0800		Cast iron surface plate		1500 x 800 x 170 mm.
<a href="#">5457</a>	1500x1000		Cast iron surface plate		1500 x 1000
<a href="#">4654</a>	1520x1020	-	Cast iron surface plate		1520 x 1020 x 70 mm.
<a href="#">5355</a>	1650X1280		Turned cast iron surface plate		1650 x 1280 mm.
<a href="#">5274</a>	1680x990	-	Cast iron surface plate		1680 x 990 x 120 mm.
<a href="#">4139</a>	1900x1400	-	Cast iron surface plate		1900 x 1400 x 300 mm.
<a href="#">4591</a>	1940x0830	-	T Slotted Surface Plate		1940 x 830 x 250 mm.
<a href="#">5341</a>	2000x1500	POLI	Granite surface plate		2000 x 1500 x 300 mm.
<a href="#">5330</a>	2000x2000		Cast iron surface plate		2000 x 2000 mm.
<a href="#">5190</a>	2000x2000	-	Cast iron surface plate		2000 x 2000 mm.
<a href="#">3336</a>	2000x2000	MAY MEUSELWITZ	Cast iron surface plate		2000 x 2000 x 350 mm.
<a href="#">5335</a>	2000x620		Parallelepiped with T quarries		2000 x 620 x 480 mm.
<a href="#">3354</a>	2050x1570	-	T Slotted Surface Plate		2050 x 1570 x 270 mm.
<a href="#">4192</a>	2200x1380	-	Cast iron surface plate		2200 x 1380 x 200 mm.
<a href="#">5667</a>	2650x1250		Plate support structure	1	2650 x 1250 mm.
<a href="#">4138</a>	2900x1520	-	T Slotted Surface Plate		2900 x 1520 x 250 mm.
<a href="#">4140</a>	3000x1050	-	Cast iron surface plate		3000 x 1050 x 520 mm.
<a href="#">5327</a>	3000x2000		Cast iron surface plate		3000 x 2000 x 280 mm.
<a href="#">5328</a>	3000x2000		Cast iron surface plate		3000 x 2000 x 310 mm.
<a href="#">5417</a>	3000x2050		Cast iron surface plate		3000 x 2050 x 310 mm.
<a href="#">5233</a>	3000x3500	RUBENACH	Cast iron surface plate		3000 x 3500 x 360 mm.
<a href="#">5222</a>	3500x3235		T Slotted Surface Plate		3500 x 3235 x 350 mm.
<a href="#">5714</a>	3540x1370		T Slotted Surface Plate	1	3540 x 1370 x 740 mm.
<a href="#">3324</a>	3550x1100	-	T Slotted Surface Plate		3550 x 1100 x 400 mm.
<a href="#">4166</a>	3900x0900	EZIO PENSOTTI	T Slotted Surface Plate		3900 x 900 x 200 mm.
<a href="#">3308</a>	3900x1600	-	T Slotted Surface Plate		3900 x 1600 x 400 mm.
<a href="#">3311</a>	4000x1500		Cast iron surface plate		4000 x 1500 x 240 mm.





**B.M. MACCHINE UTENSILI s.r.l.**

Via Edmondo De Amicis, 146 - 10093 Collegno (TO) - ITALY

Tel: (0039) 011-403.11.24 / 011-403.15.79 - Fax: (0039) 011 403.13.28

www.bmtorino.it - bm@bmtorino.it

IT 07417070013

Code	Make	Model	Type	Quantity	Technical Details
<a href="#">3268</a>	4000x1500	-	T Slotted Surface Plate		4000 x 1500 x 360 mm.
<a href="#">4855</a>	4000x1500	-	T Slotted Surface Plate		4000 x 1500 x 300 mm.
<a href="#">4131</a>	4000x2000	-	Cast iron surface plate		4000 x 2000 x 250 mm.
<a href="#">5352</a>	4000X2000	-	Cast iron surface plate	1	4000 x 2000 x 310 mm.
<a href="#">4399</a>	4000x2000	-	T Slotted Surface Plate		4000 x 2000 x 370 mm.
<a href="#">4889</a>	4000x2000	-	T Slotted Surface Plate		4000 x 2000 x 320 mm.
<a href="#">5329</a>	4000x2500	-	Cast iron surface plate		4000 x 2500 x 350 mm.
<a href="#">4891</a>	4000x2500	-	Cast iron surface plate		4000 x 2500 x 350 mm.
<a href="#">4956</a>	4000x2500	-	Cast iron surface plate		4000 x 2500 x 245 mm.
<a href="#">5332</a>	4000x4000	-	T Slotted Surface Plate		4000 x 4000 x 320 mm.
<a href="#">3364</a>	4130x1520	-	Cast iron surface plate		4130 x 1520 x 460 mm.
<a href="#">5290</a>	4500x900	NEWPORT	Cast iron surface plate with grid		15' x 3' [ 4572 x 914,4 mm. ]
<a href="#">5333</a>	5000x2000	-	Cast iron surface plate		5000 x 2000 x 350 mm.
<a href="#">5561</a>	5000x2000	-	T Slotted Surface Plate	1	5000 x 2000 x 250 mm.
<a href="#">5461</a>	5000x2500	-	Cast iron surface plate		5000 x 2500 x 360 mm.
<a href="#">4960</a>	5000x3000	-	Cast iron surface plate		5000 x 3000 x 145 mm.
<a href="#">5125</a>	5500x1500	-	Cast Iron Surface Plate		5500 x 1500 x 300 mm.
<a href="#">5701</a>	5500x2000	-	T Slotted Surface Plate	4	5500 x 2000 x 420 mm.
<a href="#">3313</a>	5500x2000	1	T Slotted Surface Plate		5500 x 2000 x 340 mm.
<a href="#">5021</a>	5500x2000	2	T Slotted Surface Plate		5500 x 2000 x 340 mm.
<a href="#">5118</a>	5500x3000	-	Cast Iron Surface Plate		5500 x 3000 x 300 mm.
<a href="#">5221</a>	5500x3235	-	T Slotted Surface Plate		5500 x 3235 x 350 mm.
<a href="#">5366</a>	5770X1300	-	Cast iron surface plate		5770 x 1300 x 300 mm.
<a href="#">5403</a>	6000x1250	-	Granite surface plate		6000 x 1250 x 250 mm.
<a href="#">5486</a>	6000x2000	-	T Slotted Surface Plate	1	6000 x 2000 mm.
<a href="#">5061</a>	6000x2600	-	Cast iron surface plate		6000 x 2600 x 420 mm.
<a href="#">5574</a>	6000x3000	OMB BONANOMI	Cast iron surface plate		
<a href="#">5259</a>	6000x3500	RUBENACH	Cast iron surface plate		6000 x 3500 x 360 mm.
<a href="#">5232</a>	7000x3000	RUBENACH	Cast iron surface plate		7000 x 3000 x 360 mm.
<a href="#">5228</a>	9000x3235	-	T Slotted Surface Plate		9000 x 3235 x 350 mm.
<a href="#">4940</a>	BWF FIXATORS	KIII KIV	Levelling elements		
<a href="#">5256</a>	PIANI per presse	Varie misure	Over plates for presses		
<a href="#">5303</a>	PIEDINI	-	Support and leveling		
<a href="#">5251</a>	POLI	GLOBO	Manual surface gauge		4000 x 1500 x 2000 mm.

### Power unit - Conveyor - Scraper belt

Code	Make	Model	Type	Technical Details
<a href="#">5679</a>	-	-	Conveyor	
<a href="#">4839</a>	EMMEGI	TTDI	Conveyor	
<a href="#">3698</a>	GILDEMEISTER	-	Swarf conveyor	



**B.M. MACCHINE UTENSILI s.r.l.**

Via Edmondo De Amicis, 146 - 10093 Collegno (TO) - ITALY

Tel: (0039) 011-403.11.24 / 011-403.15.79 - Fax: (0039) 011 403.13.28

www.bmtorino.it - bm@bmtorino.it

IT 07417070013

Code	Make	Model	Type	Technical Details
<a href="#">5369</a>	OMSAT	VTTIP 65	Swarf conveyor	

## Punching - Nibbling Machine

Code	Make	Model	Type	Tn.
<a href="#">3871</a>	CERISA	-	Nibbling Machine	
<a href="#">1106</a>	FICEP	ST 13 S		40
<a href="#">1109</a>	FICEP	ST 16 S	Punching machine combinate	72
<a href="#">1108</a>	FICEP	ST 20/600 SUPER	Punching machine combinate	95
<a href="#">5554</a>	OMES	ILCI 4		
<a href="#">1087</a>	OMES	ILCI 8	Nibbling Machine	
<a href="#">4903</a>	RAINER	3000	CNC RAINER	30 Tonn.
<a href="#">1104</a>	TRUMPF	CN 500	Nibbling Machine	
<a href="#">3868</a>	TRUMPF	CN 63	Nibbling Machine	
<a href="#">1081</a>	TRUMPF	CN 901	Nibbling Machine	
<a href="#">1088</a>	TRUMPF	CS 20 A	Nibbling Machine	
<a href="#">1079</a>	TRUMPF	TRUMATIC 225	Punching machine	25

## Radial Drill

Code	Make	Model	Type	Throat	Max. diameter
<a href="#">133</a>	CASER	F 50		1600 mm.	Ø 50 mm.
<a href="#">86</a>	CASER	F 50-1250		1250 mm.	Ø 50 mm.
<a href="#">125</a>	CASER	F 55-1600		1600 mm.	Ø 55 mm.
<a href="#">52</a>	CASER	F 80		2500 mm.	Ø 100 mm.
<a href="#">67</a>	CASER	FR6 / 40		1250 mm.	Ø 40 mm.
<a href="#">59</a>	COMU	35x1000		1000 mm.	Ø 35 mm.
<a href="#">65</a>	CSEPEL	RF 30/B		1600 mm.	Ø 70 mm.
<a href="#">4068</a>	DIMER	-		900 mm.	
<a href="#">130</a>	DONAU	CNC 50 MS	CNC HEIDENHAIN TNC 151		
<a href="#">62</a>	GSP	45 FP 8	CNC NUM 330	800 mm.	Ø 65 mm.
<a href="#">5726</a>	INVEMA	FR 40 / 1300		1300 mm.	Ø 40 mm.
<a href="#">128</a>	INVEMA	FRM		1600 mm.	Ø 60 mm.
<a href="#">95</a>	INVEMA	FRM 1250		1250 mm.	Ø 70 mm.
<a href="#">5506</a>	INVEMA	FRM 1600		1600 mm.	Ø 80 mm.
<a href="#">108</a>	LODIFLEX	F 35		1300 mm.	Ø 45 mm.
<a href="#">4189</a>	MECOF	35 C		1000 mm.	Ø 40 mm.
<a href="#">5321</a>	NOVISA	NTR 85		2540 mm.	Ø 100 mm.
<a href="#">101</a>	SASS	TL 1300		1300 mm.	Ø 50 - 70 mm.
<a href="#">122</a>	SASS	TL 1600		1600 mm.	Ø 70 mm.



**B.M. MACCHINE UTENSILI s.r.l.**

Via Edmondo De Amicis, 146 - 10093 Collegno (TO) - ITALY

Tel: (0039) 011-403.11.24 / 011-403.15.79 - Fax: (0039) 011 403.13.28

www.bmtorino.it - bm@bmtorino.it

IT 07417070013

Code	Make	Model	Type	Throat	Max. diameter
<a href="#">123</a>	SASS	TL 1600		1600 mm.	Ø 70 mm.
<a href="#">124</a>	SASS	TL 1600		1600 mm.	Ø 70 mm.
<a href="#">35</a>	SASS	TRM 1600		1600 mm.	Ø 100 mm.
<a href="#">129</a>	SASS	TRM 1900		1900 mm.	Ø 100 mm.
<a href="#">4091</a>	Z J	Z 3050x16/1i		1600 mm.	Ø 50 mm.

## Riveting - Marking Machine

Code	Make	Model	Type	Technical Details
<a href="#">5583</a>	AUTOMATOR	MB 70 E	Marking machine	
<a href="#">5111</a>	MORUECO	M 100	Riveting hammer	10000 Kg.
<a href="#">5732</a>	MORUECO	R 150 M	Orbital riveting machine	Ø 3 ÷ 16 mm.
<a href="#">4376</a>	SOMAUT	S 2	Impact machine	3500 Kg.
<a href="#">5219</a>	STEINEL	VSE	Riveting machine	Ø 6 mm.
<a href="#">5039</a>	STEINEL HAHN+KOLB	VS	Riveting machine	Ø 6 mm.
<a href="#">3571</a>	TAUMEL	BK 1500 NM	Orbital riveting machine	Ø 10 mm.
<a href="#">5052</a>	TCS	TPE	Riveting machine	
<a href="#">3926</a>	WALCO	-	Riveting machine	
<a href="#">3599</a>	WALCO	MPV 310		

## Robot

Code	Make	Model	Type	Controlled axes
<a href="#">724</a>	COMAU	SMART 6.50 R		6

## Rotary Table

Code	Make	Model	Type	Technical Details
<a href="#">4560</a>	BALTEC	1000		Ø 1000 mm.
<a href="#">4469</a>	CCCP	7400 - 0265	Inclinable dividing head	Ø 400 mm.
<a href="#">4470</a>	CCCP	7400 - 0265	Inclinable dividing head	Ø 400 mm.
<a href="#">5323</a>	COS - PAR	TESI 4 R	Electronic dividing head	
<a href="#">4925</a>	FIBRO	P10 280 UN		Ø 280 mm.
<a href="#">5444</a>	FIBRO	Y 11 400 FQ	Hydraulic	Ø 400 mm.
<a href="#">4231</a>	FIBRO	Y13 670 UQ	Hydraulic	Ø 670 mm.
<a href="#">5700</a>	FRORIEP	120 TDV 350 / 400	Rototraslating table	4000 x 3500 mm 120.000 Kg.
<a href="#">3437</a>	GENEVOISE	PI 5 C	Inclinable dividing head	Ø 450 mm.
<a href="#">4901</a>	GIANNOTTI	Divisore	Divide table	
<a href="#">4902</a>	GIANNOTTI	Divisore	Divide table	
<a href="#">5599</a>	NIKKEN		Alpha control	
<a href="#">4593</a>	OLIVETTI	850	Indexing plate	Ø 850 mm.



**B.M. MACCHINE UTENSILI s.r.l.**

Via Edmondo De Amicis, 146 - 10093 Collegno (TO) - ITALY

Tel: (0039) 011-403.11.24 / 011-403.15.79 - Fax: (0039) 011 403.13.28

www.bmtorino.it - bm@bmtorino.it

IT 07417070013

Code	Make	Model	Type	Technical Details
<a href="#">5626</a>	OMO	TGM NC 250	Rotary table	Ø 250 mm.
<a href="#">4594</a>	OMT	AY 40 - 36	Indexing plate	Ø 400 mm.
<a href="#">3975</a>	SCHARMANN	DAV 1600	Longitudinal translation	1600 x 1400 x 740 mm.
<a href="#">4197</a>	SCOTTI	TEA 250	CNC	
<a href="#">5324</a>	TABONI MECCANICA	TAME 954300	Electronic dividing head	520 x 520 mm.
<a href="#">3429</a>	TOS		Longitudinal translation CNC	1700 x 2000 mm.
<a href="#">4838</a>	VARIE	--	Pneumatic hydraulic	

### Sand Blaster - Gritter

Code	Make	Model	Type	Technical Details
<a href="#">5406</a>	EVEREST	S 2 S	Sand blaster	

### Saw - Cutting Off Machine

Code	Make	Model	Type	Capacity
<a href="#">786</a>	ADIGE	CM 2500	Disk saw	Ø 90 mm.
<a href="#">790</a>	ADIGE	CM 2500	Disk saw	Ø 90 mm.
<a href="#">873</a>	ADIGE	TP 103	Disk saw	Ø 103 - 95 x 95 - 120 x 80 mm.
<a href="#">838</a>	AUGUSTA	-	Belt saw	
<a href="#">3964</a>	AUTOMA	SUPERAUTOMATIC 280 A	Hack sawing machine	Ø 280 mm. circa
<a href="#">846</a>	CARIF	320	Hack sawing machine	Ø 320 mm.
<a href="#">4496</a>	CARIF	320	Automatic hack sawing machine	Ø 320 mm.
<a href="#">856</a>	COMECEL	CR 115	Tube disk saw	Ø 114 mm.
<a href="#">3963</a>	COMESA	COMESA MATIC 280	Automatic hack sawing machine	
<a href="#">885</a>	CONNI	S 300 N	Automatic disc saw	Ø 90 mm.
<a href="#">4409</a>	CONNI	S 315 NTS	Automatic disk saw	
<a href="#">4537</a>	DOALL	-	Automatic belt saw	Ø 320 mm. circa
<a href="#">4736</a>	DOALL	-	Belt saw	
<a href="#">3952</a>	FEDA	LT-TABS	Disk saw for tubes	Ø 25-40 x 1,5-4,5 (s) mm.
<a href="#">4497</a>	FOMECC	-	Automatic hack sawing machine	Ø 270 mm. circa
<a href="#">875</a>	FRIGGI	104/3V 700 TS	Belt saw vertical	2000 x 300 (h) mm.
<a href="#">5491</a>	IMET	RECORD 315 PLUS	Disk cutting off machine	
<a href="#">5082</a>	KALTENBACH	KSS 400		?? 130 mm ? 315 x 50 mm
<a href="#">904</a>	KASTO	EBS 320 AU	Hack sawing machine	Ø 320 mm.
<a href="#">3957</a>	KASTO	PBS 630	Hack sawing machine	Ø 630 ? 565 x 565 mm.
<a href="#">5710</a>	M		Wood belt saw	
<a href="#">4524</a>	MAG	250 M	Belt saw	
<a href="#">809</a>	MARVEL	N 18	Hack sawing machine	



**B.M. MACCHINE UTENSILI s.r.l.**

Via Edmondo De Amicis, 146 - 10093 Collegno (TO) - ITALY

Tel: (0039) 011-403.11.24 / 011-403.15.79 - Fax: (0039) 011 403.13.28

www.bmtorino.it - bm@bmtorino.it

IT 07417070013

Code	Make	Model	Type	Capacity
<a href="#">5709</a>	MEBER	400	Wood belt saw	
<a href="#">5131</a>	MEP	SHARK 281	Belt saw	Ø 250 - 230x230 - 280x200 mm.
<a href="#">895</a>	MEP	SHARK 330 NC EVO	Belt saw	? 300 ? 250x250 ? 330x250 mm
<a href="#">4495</a>	MOMAC	RM 270	Automatic hack sawing machine	
<a href="#">5203</a>	MOSSNER REKORD	SSF 420	Vertical sawing machine	
<a href="#">879</a>	OMES	MEC 70	Disk	
<a href="#">4324</a>	OMES	MEC 70	Disk saw	
<a href="#">4248</a>	PEDRAZZOLI	BROWN 400	Abrasive cutting off machine	Ø 400 mm.
<a href="#">5636</a>	PEDRAZZOLI	BROWN SN 310 S.A.	Belt saw	? 220 ? 210x210 ? 310x140 mm.
<a href="#">5419</a>	PEDRAZZOLI	EXPORT BROWN	Disk saw	Ø 95 mm.
<a href="#">5414</a>	PEDRAZZOLI	PERRIS 350	Disk saw	
<a href="#">4794</a>	RAIM	K 278	Automatic hack sawing machine	
<a href="#">4506</a>	REMOR	270	Automatic hack sawing machine	Ø 270 mm.
<a href="#">3946</a>	SCORTEGAGNA	E 220		Ø 220 mm.
<a href="#">4531</a>	SCORTEGAGNA	EM 270 R	Automatic hack sawing machine	Ø 270 mm. circa
<a href="#">891</a>	SCORTEGAGNA	ERCOLE MATIC 260	Advance	Ø 260 mm.
<a href="#">823</a>	SCORTEGAGNA	EV 270 R	Automatic hack sawing machine	
<a href="#">3950</a>	TEKNOMAC	-	Belt saw	
<a href="#">4249</a>	THOMAS	300 F	Disk saw	
<a href="#">4523</a>	UPAM	UP 1	Belt saw	Ø 200 mm.
<a href="#">4530</a>	UPAM	UP 1	Automatic belt saw	Ø 200 mm.
<a href="#">5791</a>	UPAM	UP 400 SA	Horizontal Band saw	Ø 400 mm.

## Sharpening for Drill Bit & Saw Blade

Code	Make	Model	Type	Min. diameter sharpening drills	Max. diameter sharpening drills
<a href="#">5053</a>	ACETI	113	Drill sharpener	Ø 3 mm.	Ø 20 mm.
<a href="#">2789</a>	BREDA	AFP 50	Mechanical	Ø 6 mm.	Ø 55 mm.
<a href="#">2806</a>	BREDA	AFP 80	Drill sharpener	Ø 10 mm.	Ø 80 mm.
<a href="#">3646</a>	PRVOMAJSKA	AOP 300	Mechanical		
<a href="#">2805</a>	VILAR	-	Drill - Blade sharpener		

## Shear



**B.M. MACCHINE UTENSILI s.r.l.**

Via Edmondo De Amicis, 146 - 10093 Collegno (TO) - ITALY

Tel: (0039) 011-403.11.24 / 011-403.15.79 - Fax: (0039) 011 403.13.28

www.bmtorino.it - bm@bmtorino.it

IT 07417070013

Code	Make	Model	Type	Max. length	Max. width
<a href="#">4429</a>	-	2000	Mechanical	2000 mm.	
<a href="#">1441</a>	---		Hand	1000 mm.	
<a href="#">1419</a>	BESTETTI	1000	Mechanical	1000 mm.	3 mm.
<a href="#">5557</a>	CBC	1000	Mechanical	1000 mm.	
<a href="#">3710</a>	CBC	3000	Mechanical	3000 mm.	6 mm.
<a href="#">5285</a>	CMLL	203		2000 mm.	3 mm.
<a href="#">5162</a>	COLGAR	C 203	Mechanical	2000 mm.	3 mm.
<a href="#">1370</a>	CORPET LOUVET	GG 3050x20	Hydraulic	3050 mm.	20 mm.
<a href="#">1395</a>	FARINA	-	Mechanical	2000 mm.	3 mm.
<a href="#">5287</a>	GATTI	203		2000 mm.	3 mm.
<a href="#">1433</a>	ILMA	ILC 10/10	Mechanical	1040 mm	10 mm
<a href="#">1444</a>	ILMA	ILC 14/20	Mechanical	2040 mm.	12/15 mm.
<a href="#">1452</a>	ILMA	ILC 6/40	Mechanical	4000 mm.	4 mm.
<a href="#">1420</a>	IMAL	2000/3	Mechanical	2000 mm.	3 mm.
<a href="#">1399</a>	IMAL	CP 20/8	Mechanical	2050 mm.	8 mm.
<a href="#">3712</a>	MARIANI	145 CIN	Mechanical	2000 mm.	16 mm.
<a href="#">1367</a>	MARIANI	HC	Hydraulic	4000 mm.	20 mm.
<a href="#">1371</a>	MINALI	HYDROMATIC 80	Hydraulic	2050 mm.	8 - 10 mm.
<a href="#">1437</a>	OMAG	Ci 404	Hydraulic	4000 mm.	4 mm.
<a href="#">4779</a>	OMAGATTI	1020 C	Mechanical	1020 mm.	20 mm.
<a href="#">5674</a>	RIBA		Mechanical	2000 mm.	8 mm.
<a href="#">1454</a>	RIBOLDI	CGA 1010	Mechanical	1050 mm.	10 mm.
<a href="#">1402</a>	RIBOLDI	CP 12/20	Mechanical	2000 mm.	12 mm.
<a href="#">3714</a>	SIA ITALIA	CPC 39	Manual combined	1000 mm.	1 mm.
<a href="#">1404</a>	SOMO	SC 20/8	Mechanical	2050 mm.	8 mm.

## Single-Spindle Drilling Machine

Code	Make	Model	Type	Drilling diameter
<a href="#">2211</a>	GGT	-	Hydraulic	
<a href="#">2210</a>	GSP	25		
<a href="#">2212</a>	PRODUCO	-		
<a href="#">4195</a>	PRODUCO	-		

## Slotter

Code	Make	Model	Type	Travel
<a href="#">689</a>	CINESE	350		350 mm.
<a href="#">5693</a>	DECKEL	FP 1		
<a href="#">3972</a>	ELECTA	200		200 mm.
<a href="#">4827</a>	PRATT & WHITNEY	Model B Type M 1506		152,4 mm. - 6 Inch



**B.M. MACCHINE UTENSILI s.r.l.**

Via Edmondo De Amicis, 146 - 10093 Collegno (TO) - ITALY

Tel: (0039) 011-403.11.24 / 011-403.15.79 - Fax: (0039) 011 403.13.28

www.bmtorino.it - bm@bmtorino.it

IT 07417070013

## Special Drilling Machine

Code	Make	Model	Type	Technical Details
<a href="#">3611</a>	LUCCHINI	98.18375	Horizontal	
<a href="#">3610</a>	LUCCHINI	98.8547	Horizontal	

## Special Purposes Milling Machine

Code	Make	Model	Type	Table dimensions	Longitudinal travel
<a href="#">2186</a>	---	-	Bench		
<a href="#">2189</a>	BORNEMANN	-	For polystyrene	2000 x 1500 mm.	
<a href="#">2188</a>	BORNEMANN	BW 900 S	For polystyrene	2000 x 1500 mm.	
<a href="#">3796</a>	ERNST LEITZ	-			
<a href="#">4541</a>	GROB ERNST	SM		Ø 400 mm.	
<a href="#">2190</a>	HURTH	LF 32	Milling machine for quarries and grooved		
<a href="#">3798</a>	HURTH	LF 32 a	Milling machine for quarries and grooved	1500 x 150 mm.	400 mm.
<a href="#">2182</a>	HURTH	LF 32 aH	Milling machine for quarries and grooved		
<a href="#">4942</a>	OLIVETTI	FG 4	Vertical rotary table - 1 head	Ø 1100 mm.	
<a href="#">4943</a>	OLIVETTI	FG 4	Vertical rotary table - 1 head		
<a href="#">4944</a>	OLIVETTI	FG 4	Vertical rotary table - 2 heads		
<a href="#">4945</a>	OLIVETTI	FG 4	Vertical rotary table - 2 heads		
<a href="#">4585</a>	ROUCHAUD	-	Pendular milling machine		
<a href="#">4946</a>	SAIMP	FG 4	Vertical rotary table - 2 heads		
<a href="#">4947</a>	SAIMP	FG 4	Vertical rotary table - 2 heads	Ø 1100 mm.	
<a href="#">4948</a>	SAIMP	FG 4	Vertical rotary table - 2 heads	Ø 1100 mm.	
<a href="#">4949</a>	SAIMP	FG 6	Vertical rotary table - 2 heads	Ø 1600 mm.	
<a href="#">3797</a>	WANDERER	F 1		1500 x 310 mm.	

## Stock Reel

Code	Make	Model	Type	Technical Details
------	------	-------	------	-------------------



**B.M. MACCHINE UTENSILI s.r.l.**

Via Edmondo De Amicis, 146 - 10093 Collegno (TO) - ITALY

Tel: (0039) 011-403.11.24 / 011-403.15.79 - Fax: (0039) 011 403.13.28

www.bmtorino.it - bm@bmtorino.it

IT 07417070013

Code	Make	Model	Type	Technical Details
<a href="#">5642</a>	ASPO		Motorised	
<a href="#">5815</a>	CATTANEO			
<a href="#">3486</a>	DIMECO	2310 / M	Motorised	200 Kg.
<a href="#">3485</a>	DIMECO	2320 / M	Motorised	350 Kg.
<a href="#">5540</a>	ELMEA			
<a href="#">5814</a>	ELMEA	SC 10 - 70	Motorised	150 Kg x 200 mm

## Surface Grinder

Code	Make	Model	Type	Table dimensions	Longitudinal travel
<a href="#">1706</a>	ALPA	RT 400		400 x 160 mm.	450 mm.
<a href="#">1709</a>	ATHENA	T 30		3000 x 600 mm.	3000 mm.
<a href="#">1762</a>	ELB	SW 10 VA II		1000 x 300 mm.	1000 mm.
<a href="#">3909</a>	ELB	SWR 60 UVA		500 mm.	
<a href="#">5782</a>	FAVRETTO	R.T.F. 60	Hydraulic	600 x 200 mm.	650 mm.
<a href="#">4241</a>	FAVRETTO	RTF 60		600 x 200 mm.	650 mm.
<a href="#">5516</a>	FAVRETTO	TA 90		1300 x 350 mm.	900 mm.
<a href="#">1736</a>	FAVRETTO	TB 130/S		1300 x 400 mm.	1300 mm.
<a href="#">4179</a>	FAVRETTO	TC 130		1300 x 500 mm.	1300 mm.
<a href="#">5687</a>	FAVRETTO	TC 200	Hydraulic	2400 x 500 mm.	2000 mm.
<a href="#">3910</a>	FAVRETTO	TC 250		2500 x 500 mm.	2500 mm.
<a href="#">1740</a>	FAVRETTO	TD 250/S		2500 x 600 mm.	2500 mm.
<a href="#">1738</a>	FUMAGALLI	RTHP 850	CN RAEM	850 x 450 mm.	1000 mm.
<a href="#">1711</a>	GER	S 60/40	CN FAGOR NV 300 E	600 x 400 mm.	660 mm.
<a href="#">4680</a>	HIDRO PRECIS	RCT 500		500 mm.	
<a href="#">5072</a>	JONES SHIPMAN	540 L	Grinder	450 x 150 mm.	480 mm.
<a href="#">5114</a>	JOTES	SPC 20 B		500 x 200 mm.	
<a href="#">5361</a>	ROSA	RTRC 1000		1000 x 350 mm.	1100 mm.
<a href="#">1742</a>	STEFOR	RTC 12/9	CNC NUM 750	1350 x 640 mm.	1300 mm.
<a href="#">1719</a>	THULE	TPH 1000		1000 x 200 mm.	1000 mm.
<a href="#">1757</a>	WMW	SZ 1000x800x6000/3	Portal grinder	6000 x 1000 mm.	1250 mm.

## Thread Rolling Machine

Code	Make	Model	Type	Tn.
<a href="#">5277</a>	MAGNAGHI	807	Hydraulic	32
<a href="#">5705</a>	MAGNAGHI	T 12	Hydraulic	15
<a href="#">755</a>	MICHIGAN	ROTO-FLO 3225	Spline Rolling Machine	
<a href="#">5584</a>	MICHIGAN	ROTO-FLO 3225	Spline Rolling Machine	
<a href="#">5585</a>	MICHIGAN	ROTO-FLO 3225	Spline Rolling Machine	
<a href="#">5768</a>	ORT	3 RP 10	Three Dies thread rolling machine	8





**B.M. MACCHINE UTENSILI s.r.l.**

Via Edmondo De Amicis, 146 - 10093 Collegno (TO) - ITALY

Tel: (0039) 011-403.11.24 / 011-403.15.79 - Fax: (0039) 011 403.13.28

www.bmtorino.it - bm@bmtorino.it

IT 07417070013

Code	Make	Model	Type	Tn.
<a href="#">5790</a>	ORT	3 RP 21	Three Dies thread rolling machine	21
<a href="#">5347</a>	ORT	RP 30 U	Hydraulic	31
<a href="#">5730</a>	ORT	RP 30 U	Hydraulic	30
<a href="#">5707</a>	ORT	RP 90	Hydraulic	90
<a href="#">5049</a>	ORT MAGNAGHI GAM REFIL		Rolls	
<a href="#">5216</a>	PEE WEE		Hydraulic	

### Threading - Tapping Machine

Code	Make	Model	Type	Max. diameter	Max. pitch
<a href="#">980</a>	---	PB	Coupling milling machine		
<a href="#">981</a>	---	PB	Coupling milling machine		
<a href="#">982</a>	---	PB	Coupling milling machine		
<a href="#">4745</a>	---	PB	Coupling milling machine		
<a href="#">4752</a>	---	PB	Coupling milling machine		
<a href="#">4196</a>	AURORA	-	Tapping machine		
<a href="#">5807</a>	CERGIL	F 168	Chasing machine	168 mm	
<a href="#">3748</a>	COMECA	-	Threading machine		
<a href="#">3742</a>	CRI-DAN	B	Threading machine	Ø 100 mm.	20
<a href="#">926</a>	FAMUP	MDR 16	Tapping machine pedestal		M 16
<a href="#">3751</a>	GF GEORG FISCHER		Pipe Threading Machine	50,8 mm	
<a href="#">932</a>	GLORIA	UNIFLEX SISTEM	Tapping machine bench		
<a href="#">974</a>	GMT		Tapping machine over pedestal		
<a href="#">972</a>	IM	UTM 18 / CN / C	Tapping machine / Drill	Ø 15 - 18 mm.	M 12 - M 16
<a href="#">916</a>	JOANNES	T 10	Tapping machine pedestal		M 10
<a href="#">917</a>	JOANNES	T 16	Tapping machine pedestal		M 16
<a href="#">924</a>	JOANNES	T 16	Tapping machine bench		M 16
<a href="#">951</a>	JOANNES	T 16	Tapping machine column		M 16
<a href="#">954</a>	JOANNES	T 16	Tapping machine column		M 16
<a href="#">5005</a>	JOANNES	T 16	Tapping machine column		M 16



**B.M. MACCHINE UTENSILI s.r.l.**

Via Edmondo De Amicis, 146 - 10093 Collegno (TO) - ITALY

Tel: (0039) 011-403.11.24 / 011-403.15.79 - Fax: (0039) 011 403.13.28

www.bmtorino.it - bm@bmtorino.it

IT 07417070013

Code	Make	Model	Type	Max. diameter	Max. pitch
<a href="#">3741</a>	MANNAIONI	4Y-700	Threading machine	Ø 215 mm.	30
<a href="#">5007</a>	OLIVETTI	UM 3	Tapping machine column		
<a href="#">3740</a>	POZZO	T 10	Tapping machine column		M 10
<a href="#">919</a>	RECORD	A 5	Tapping machine bench		M 16
<a href="#">927</a>	RECORD	M 15B	Tapping machine column		M 16
<a href="#">959</a>	RECORD	M 35	Tapping machine column	Ø 35 mm.	M 35
<a href="#">3737</a>	TEMCO	M 16	Tapping machine column		M 16
<a href="#">968</a>	TEMCO	M16/77	Tapping machine		
<a href="#">3738</a>	VECCHIA	-	Tapping machine	Ø 10 mm.	
<a href="#">4396</a>	VIGEL	UM 73	Tapping machines		M 10
<a href="#">3746</a>	WARNER SWASEY	-	Tapping machine pedestal		
<a href="#">4717</a>	WARNER SWASEY	11 R			
<a href="#">914</a>	ZUCCA CIELO	T 10	Tapping machine bench		M 10
<a href="#">937</a>	ZUCCA CIELO	T 10	Tapping machine column		M 10
<a href="#">3749</a>	ZUCCA CIELO	T 16	Tapping machine column		M 16
<a href="#">979</a>	ZUCCA CIELO	T 30	Tapping machine pedestal	Ø 30 x 3,5 mm.	M 30
<a href="#">5004</a>	ZUCCA CIELO	T 16	Tapping machine column		M 16
<a href="#">5002</a>	ZUCCA CIELO	T 30	Tapping machine over pedestal		M 30
<a href="#">5003</a>	ZUCCA CIELO	T 30	Tapping machine over pedestal		M 30

## Tracing Machine

Code	Make	Model	Type	Cross travel	Longitudinal travel
<a href="#">4031</a>	CCCP	-			
<a href="#">556</a>	FIMAP	OLIMPIA		350 mm.	550 mm.
<a href="#">557</a>	FIMAP	OLIMPIA		350 mm.	550 mm.
<a href="#">5685</a>	GENEVOISE	HYDROPTIC 8 P	Twin Column Jig Boring Machine	1000 mm.	1400 mm.
<a href="#">555</a>	HAUSER	-		400 mm.	400 mm.
<a href="#">546</a>	ICMA	CS 1		600 mm.	400 mm.
<a href="#">4462</a>	ICMA	CS 1		600 mm.	400 mm.
<a href="#">4032</a>	ROSA	35 ALZ		500 mm.	320 mm.



**B.M. MACCHINE UTENSILI s.r.l.**

Via Edmondo De Amicis, 146 - 10093 Collegno (TO) - ITALY

Tel: (0039) 011-403.11.24 / 011-403.15.79 - Fax: (0039) 011 403.13.28

www.bmtorino.it - bm@bmtorino.it

IT 07417070013

Code	Make	Model	Type	Cross travel	Longitudinal travel
<a href="#">4455</a>	ROSA	35 ALZ			
<a href="#">4185</a>	SIMA	OMEGA 2R			
<a href="#">4456</a>	SUPEMEC	-			

### Traditional Borer

Code	Make	Model	Type	Cross travel	Vertical travel
<a href="#">2945</a>	SAN ROCCO	AL 88 B4		2000 mm.	1000 mm.

### Transfer

Code	Make	Model	Type	Heads no.
<a href="#">4038</a>	ACIERA	13	Vertical	
<a href="#">4564</a>	BETTINELLI	1 Unità	Vertical	1
<a href="#">3467</a>	BONESI	3 Unità		3
<a href="#">4044</a>	C MECCANICA	2 Unità	Vertical	2
<a href="#">4583</a>	CABIS	1 Unità	Vertical	1
<a href="#">3465</a>	CAMAT	-	Vertical	2
<a href="#">4562</a>	CH	600	Vertical	2
<a href="#">3466</a>	CO.MA.I.	6 Unità	Horizontal - Vertical	6
<a href="#">4744</a>	CT 02	-	Horizontal	5
<a href="#">4703</a>	ERNST LEITZ	-		3
<a href="#">5183</a>	EUROMA			2
<a href="#">4561</a>	GE	470	Vertical	1
<a href="#">4051</a>	GRW	3 Unità	Vertical	3 unità
<a href="#">3475</a>	GRW Tecnomeccanica	2 Unità	CNC FANUC POWER MATE	2
<a href="#">4879</a>	HYDROPOWER	CTR AP		
<a href="#">4747</a>	ICAMS	---		4
<a href="#">5186</a>	LA MANNA		Transfer	
<a href="#">4715</a>	OLMA	3 Unità	Horizontal	3
<a href="#">4371</a>	POSALUX	MULTOPER S 6CNC 6S	CNC BOSCH TYP 1	
<a href="#">4713</a>	POWER MATIC	4 Unità	Horizontal	4
<a href="#">3472</a>	PRODUCO	-	Vertical	2
<a href="#">4474</a>	PRODUCO	1 Unità	Vertical	
<a href="#">4039</a>	RIELLO	-		4
<a href="#">3456</a>	RIELLO	AZ 2-02-320-14	Vertical	2
<a href="#">4033</a>	RIELLO	AZ 5.600.2000	5 Units	5
<a href="#">4641</a>	TRANSFER	-		
<a href="#">4366</a>	VALPA	2 Unità	Horizontal	2
<a href="#">4542</a>	VEP	9 Unità		9
<a href="#">4473</a>	VIGEL	Speciale	Vertical	
<a href="#">4798</a>	VIGEL PRODUCO	-		3
<a href="#">3445</a>	WALFAT	-	Vertical	



**B.M. MACCHINE UTENSILI s.r.l.**

Via Edmondo De Amicis, 146 - 10093 Collegno (TO) - ITALY

Tel: (0039) 011-403.11.24 / 011-403.15.79 - Fax: (0039) 011 403.13.28

www.bmtorino.it - bm@bmtorino.it

IT 07417070013

Code	Make	Model	Type	Heads no.
<a href="#">4047</a>	WALFAT	-	Horizontal	

## Universal Grinding Machine

Code	Make	Model	Type	Centres height	Max. grinding length
<a href="#">3173</a>	ACROS	-		160 mm.	1000 mm.
<a href="#">3206</a>	COREMA	RU 2000		195 mm.	2000 mm.
<a href="#">3213</a>	FORTUNA			130 mm.	800 mm.
<a href="#">3166</a>	FORTUNA	ESU 1000		180 mm.	1000 mm.
<a href="#">3215</a>	FORTUNA	UFB 500		135 mm.	500 mm.
<a href="#">5395</a>	FORTUNA	UFC 630	Hydraulic	175 mm.	630 mm.
<a href="#">4178</a>	GRISSETTI	RU/AURS 2050		190 mm.	2000 mm.
<a href="#">3151</a>	MISAL	HIDROSEVESO		165 mm.	1000 mm.
<a href="#">3911</a>	OLIVETTI	R 3 450		130 mm.	450 mm.
<a href="#">3209</a>	RASTELLI	R5		130 mm.	500 mm.
<a href="#">5389</a>	RIBON	RUR H 800		140 mm.	800 mm.
<a href="#">5020</a>	TACCHELLA	1018 UM	Digital readout	180 mm.	1000 mm.
<a href="#">5492</a>	TACCHELLA	715 UA	Hydraulic	150 mm.	750 mm.
<a href="#">3154</a>	TACCHELLA	ATIEFFE R 1000			1000 mm.
<a href="#">3214</a>	ZANETTI	FZB 600		140 mm.	600 mm.

## Universal Sharpening

Code	Make	Model	Type	Longitudinal travel	Table dimensions
<a href="#">5766</a>	BASSI & MASSARI	B M 3 600 B	Hydraulic	600 mm.	1070 x 133 mm.
<a href="#">5416</a>	CABO	2 A		450 mm.	715 x 190 mm.
<a href="#">2824</a>	DECKEL	S1	Manual	260 mm.	
<a href="#">2876</a>	ELETTROMECCANICA	12			
	GENERALE				
<a href="#">2899</a>	ELITE	A.R.5 - E / ET		300 mm.	860 x 160 mm.
<a href="#">2904</a>	FIAT	A.F.U. 260	Manual		
<a href="#">2839</a>	GLEASON	532			
<a href="#">2905</a>	GLEASON	532			
<a href="#">2859</a>	GUHRING	SS 14	Automatic		
<a href="#">5507</a>	IN.VI.MEC	STC 401	Manual	400 mm.	800 x 98 mm.
<a href="#">5115</a>	JONES SHIPMAN	540 L	Grinder	480 mm.	450 x 150 mm.
<a href="#">4600</a>	KAPP	VAS 432	Gear grinding machine		
<a href="#">4601</a>	KAPP	VAS 482	Gear grinding machine		
<a href="#">2901</a>	LA PRORA	BETA 150	Manual		330 x 150 mm.
<a href="#">3651</a>	MARELLI	-	Manual	350 mm.	630 x 100 mm.
<a href="#">2906</a>	NEBIOLO	-			
<a href="#">2866</a>	NESI	C 350	Manual	350 mm.	750 x 90 mm.



**B.M. MACCHINE UTENSILI s.r.l.**

Via Edmondo De Amicis, 146 - 10093 Collegno (TO) - ITALY

Tel: (0039) 011-403.11.24 / 011-403.15.79 - Fax: (0039) 011 403.13.28

www.bmtorino.it - bm@bmtorino.it

IT 07417070013

Code	Make	Model	Type	Longitudinal travel	Table dimensions
<a href="#">2868</a>	NESI	C 400	Manual	400 mm.	800 x 105 mm.
<a href="#">2843</a>	PRVOMAJSKA	-	Manual		
<a href="#">2828</a>	PRVOMAJSKA	UOZA-5	Manual	500 mm.	900 x 130 mm.
<a href="#">2900</a>	SARA	-	Manual		410 x 180 mm.
<a href="#">4335</a>	SARA	-	Manual		
<a href="#">2835</a>	SCHUTTE	WU 3	Manual	500 mm.	800 x 150 mm.
<a href="#">5412</a>	TACCHELLA	4 L	Manual	400 mm.	740 x 100 mm.
<a href="#">2869</a>	TACCHELLA	4 M	Manual	400 mm.	900 x 130 mm.
<a href="#">2877</a>	TACCHELLA	4 M	Manual	400 mm.	900x130 mm.
<a href="#">5411</a>	TACCHELLA	4 M	Manual	400 mm.	900 x 130 mm.
<a href="#">5466</a>	TACCHELLA	6 ALP		600 mm.	
<a href="#">5465</a>	TACCHELLA	6 AP	Hydraulic	600 mm.	
<a href="#">2888</a>	TACCHELLA	6 P	Manual	600 mm.	
<a href="#">2893</a>	TACCHELLA	LP	Manual		750 x 330 mm.
<a href="#">3652</a>	TACCHELLA	LP	Manual		750 x 330 mm.
<a href="#">2847</a>	WAHLT		Manual	350 mm.	700 x 100 mm.
<a href="#">4695</a>	WALTER	HELI 35	cnc tool grinding machine	400 mm.	

## VARIOUS

Code	Make	Model	Type	Technical Details
<a href="#">5621</a>			Rpm multiplier	
<a href="#">4095</a>	---	1000	Lifting magnets	
<a href="#">4096</a>	---	1000	Lifting magnets	
<a href="#">5441</a>	A & T	PRESA UTENSILE		
<a href="#">4098</a>	A.GRASSI FIGLI	Linea piccolo	Stripe cut	
<a href="#">4369</a>	AL - PACK	MONOPACK		
<a href="#">5266</a>	ALCATEL	PASCAL 2005	Vacuum pump	Pressione finale 1x10 <sup>-4</sup> Torr
<a href="#">5440</a>	ANILAM	WIZARD	Visualizer	Visualizzatore di quote
<a href="#">5358</a>	Apparecchi rettifica		Internal grinding attachment	Ø allogg. mandrino 100 mm.
<a href="#">5646</a>	ARMADI	ELETTRICI	Electric cabinet	
<a href="#">5706</a>	ASPIRATORI	VARI	Vacuum cleaner	
<a href="#">5348</a>	AUTOBLOK	180/67 VSNC	Hydraulic spindle	Foro mandrino Ø 67 mm.
<a href="#">5647</a>	BANCO			
<a href="#">4751</a>	BERARDI	12 F	Multiple head	
<a href="#">4405</a>	BIGANZOLI FM	TM 7 Arrotondatrice	Chamfering machine	
<a href="#">4374</a>	BWF FIXATORS	KIII KIV	Levelling elements	
<a href="#">4939</a>	BWF FIXATORS	KIII KIV	Levelling elements	
<a href="#">4904</a>	CABINA VERNICIATURA	-	Painting cabin	
<a href="#">5713</a>	CAPILLO	VASCA	Tank	1000 x 400 x 400 mm.
<a href="#">5076</a>	CENTRALINE IDRAULICHE	VARIE		
<a href="#">5433</a>	CILINDRI	Idraulici Pneumatici		
<a href="#">4298</a>	CORAL	POLIVAL 2	Vacuum cleaner	



**B.M. MACCHINE UTENSILI s.r.l.**

Via Edmondo De Amicis, 146 - 10093 Collegno (TO) - ITALY

Tel: (0039) 011-403.11.24 / 011-403.15.79 - Fax: (0039) 011 403.13.28

www.bmtorino.it - bm@bmtorino.it

IT 07417070013

Code	Make	Model	Type	Technical Details
<a href="#">5586</a>	COSEMA	AM 3 2500	Filter tank	2700 x 1500 x 300 mm.
<a href="#">4397</a>	COSEMA	SPT 2	Filter tank	
<a href="#">4936</a>	Creatore VERGNANO	MOD. 24	Hob	MOD. 24 - 20°
<a href="#">4494</a>	CREATORI	VARI		
<a href="#">5529</a>	CUDIA		Vacuum cleaner	110 ÷ 1100 m³/h
<a href="#">4102</a>	D ANDREA	TA 120	Sensitive head	
<a href="#">5750</a>	DEMAG DONATI			1,5 ÷ 5 ton
<a href="#">4647</a>	DESOUTTER	-	Drilling unit	
<a href="#">4762</a>	DEVALLIERE	-	Boring unit	
<a href="#">4750</a>	DEVALLIERE	---	Unit with recess	
<a href="#">4514</a>	DI PALO	-	Milling head	ISO 50
<a href="#">4575</a>	DUPLOMATIC	-	Copying device for lathe	
<a href="#">4573</a>	DUPLOMATIC	CONTOUR R360	Cam copying device	
<a href="#">4915</a>	EQUILIBRATORE		Grinding wheel balancing	
<a href="#">5695</a>	ESAB	OK Autrod 16.12	Welding wire	ESAB Ø 1 mm.
<a href="#">5294</a>	EUROMA	F.P 24 120	Drilling unit	Ø 24 x 120 mm.
<a href="#">4107</a>	EUROMA	U.FR.50	Milling unit	
<a href="#">4698</a>	EUROTEC	-	Pass-through washer	
<a href="#">5798</a>	FAEMAT	UR 1	Electrospindle with planetary head	15.000 ÷ 40.000 rpm
<a href="#">5421</a>	FILTRES MONNET		Filter tank	
<a href="#">5672</a>	FOREST SAIMP			
<a href="#">5675</a>	FOREST SAIMP	TESTE ISO 50	Milling head	
<a href="#">4748</a>	FOS	TVT 380	Dividing head	Ø 380 mm.
<a href="#">5751</a>	FRESE	ALLUMINIO		Ø 315 mm.
<a href="#">4536</a>	FRESE A INSERTO	VARIE		
<a href="#">5748</a>	GALDABINI			
<a href="#">4853</a>	GALILEO	PESI	Hardness tester weight	
<a href="#">5073</a>	GENERAL ELECTRIC		Lamp for workshop	400 Watt
<a href="#">4765</a>	GIUSTINA	-	Grinder head	
<a href="#">5234</a>	GP		Fork welding bench	
<a href="#">5799</a>	HASLER		Revolution indicator	
<a href="#">4854</a>	IEMCA	PRA 40	Loaders	
<a href="#">5112</a>	INCUDINI	-		
<a href="#">4519</a>	KLINGELNBERG	BC	Control bench	
<a href="#">5464</a>	LOSMA	AS 5 L	Vacuum cleaner	
<a href="#">5043</a>	LUNETTE	Varie	Steadies	
<a href="#">5113</a>	MACCHI	R 500	Scale	2000 Kg.
<a href="#">5587</a>	MACCHI	Tipo A 200	Scale	
<a href="#">4887</a>	MANDRINI	Mandrini vari rettifica	Gamfior - Omlat	
<a href="#">4831</a>	MANDRINI	ROHM		
<a href="#">4739</a>	MANDRINI	VARI	Spindles	
<a href="#">5704</a>	MANDRINI	VARI	Hydraulic Pneumatic	
<a href="#">5197</a>	MANDRINO	4 griffe indipendenti	4 jaw independent chucks	Ø 800 mm.
<a href="#">4339</a>	Mandrino autocentrante	310		Ø 310 mm.



**B.M. MACCHINE UTENSILI s.r.l.**

Via Edmondo De Amicis, 146 - 10093 Collegno (TO) - ITALY

Tel: (0039) 011-403.11.24 / 011-403.15.79 - Fax: (0039) 011 403.13.28

www.bmtorino.it - bm@bmtorino.it

IT 07417070013

Code	Make	Model	Type	Technical Details
<a href="#">5644</a>	MARPOSS		Gauge setup	
<a href="#">5643</a>	MARPOSS	E 3	Programmable unit	
<a href="#">5669</a>	MARPOSS	E 4	Measuring	
<a href="#">5671</a>	MICROMETRI PER ESTERNI		External micrometers	Ø 200-Ø 300 / Ø 300-Ø 400 mm.
<a href="#">4655</a>	MOLA	Mola Diamantata	Diamond wheel	Ø 350 mm.
<a href="#">4874</a>	MOLE	Varie		
<a href="#">5562</a>	MONZESI	ROSSI MONZA	Equipment	
<a href="#">4635</a>	MORSE	Varie	Vices	Ø 200 mm.
<a href="#">5134</a>	Motorini idraulici	Vari modelli		
<a href="#">4991</a>	MPA	MINI 2 - 802 - 116P	Adjustable heads	2xØ5 - 2xØ10 - 3xØ14
<a href="#">4588</a>	NEW MATIC	UF 6	Milling bench	
<a href="#">5184</a>	NEW SPINDLE	NS - 107	Electrospindle	2.000 ÷ 20.000 rpm
<a href="#">5272</a>	OFD F.lli DONATI	250	Electric chain hoist	250 Kg.
<a href="#">4720</a>	OILTECH	LOC 2	Heat exchanger	
<a href="#">4114</a>	OMG	TRM 43	Multiple head	
<a href="#">5617</a>	OMLAT		Electrospindle	
<a href="#">4112</a>	OMLAT	---	Spindles for grinder	
<a href="#">4851</a>	OMLAT	TS 2	Electrospindle	Rpm 30000 / 60000
<a href="#">5702</a>	OMOP		Tapping head	
<a href="#">4268</a>	ORT MAGNAGHI GAM REFIL	-	Rolls for rolling	Ø 54 - 69,85 mm.
<a href="#">4472</a>	PAVESI	EV	Unit with recess	
<a href="#">4167</a>	PENSOTTI EZIO	3900x900	T quarries	
<a href="#">5099</a>	PERSICO	PS 3000 RMV FE	Positioning device - Boat rotation system	Portata 3000 Kg.
<a href="#">4847</a>	Piani magnetici	Ø 450 mm	Magnetic plateau	Ø 450 mm.
<a href="#">4852</a>	PLANETOR	-	Planetary head	Max rpm 650
<a href="#">5128</a>	POGLIANO ZUCCHINI		Bus duct	100A -150A - 225A - 250A - 630
<a href="#">4882</a>	POLMONI	-	Plenum chamber	
<a href="#">5133</a>	PRESSVIT	-	Scrap cutter	
<a href="#">4290</a>	PRISMI e LAME	-	Prism and blades	
<a href="#">4648</a>	PRODUCO	NORMA R FM	Drilling unit	
<a href="#">5044</a>	PROTECTOSEAL	279 A	Washing tumbler	
<a href="#">4116</a>	PRYORMARK	98 / 15	Marking machine	
<a href="#">5803</a>	RADIATORE			
<a href="#">4513</a>	RAMBAUDI	-	Milling head	ISO 50
<a href="#">4360</a>	RAMBAUDI	KTVO	Overarm	
<a href="#">5668</a>	RAMBAUDI	KVO	Milling head	ISO 50 ?40 ÷ 3000 rpm
<a href="#">5103</a>	RAMBAUDI	Testa P	Milling head	ISO 40
<a href="#">4119</a>	RAPID ISA	-	Grinder head	
<a href="#">5538</a>	RAVIZZA	PACKAGING	Pakaging system	
<a href="#">5289</a>	RIGIVA	RS 120 DIGIT	Sensitive vertical head	ISO 40 x 3200 rpm
<a href="#">4120</a>	ROBUR	GR 1.80	Heater	



**B.M. MACCHINE UTENSILI s.r.l.**

Via Edmondo De Amicis, 146 - 10093 Collegno (TO) - ITALY

Tel: (0039) 011-403.11.24 / 011-403.15.79 - Fax: (0039) 011 403.13.28

www.bmtorino.it - bm@bmtorino.it

IT 07417070013

Code	Make	Model	Type	Technical Details
<a href="#">4803</a>	RULLIERE	Rulliere		
<a href="#">5743</a>	SELCA	S 3045	Central unit	
<a href="#">4435</a>	SICMAT	RCH	Chamfering machine	
<a href="#">5622</a>	SIEMENS		Motor	
<a href="#">5235</a>	SIEMENS	6FC5203-0AD10-0AA0	Operator panel	Sinumerik 840D
<a href="#">4361</a>	SIEMENS	RDN	Motor	
<a href="#">4934</a>	SIM	4297	Air-conditioner	
<a href="#">5100</a>	SIRCAM	P 10 H 100	Hydraulic dumper skips	1000 Kg.
<a href="#">4493</a>	SLITTE	-		
<a href="#">4097</a>	SRD	500	Lifting magnets	
<a href="#">4122</a>	TABONI	TABRE	Ruling machine	
<a href="#">4123</a>	TABONI	TABRE 650	Ruling machine	
<a href="#">5625</a>	TACCHELLA			
<a href="#">5758</a>	TACCHELLA			
<a href="#">5759</a>	TACCHELLA		Helical sharpening device	
<a href="#">5760</a>	TACCHELLA		Various accessories	
<a href="#">5757</a>	TACCHELLA	UP 400	Motorized piece holder head	
<a href="#">5304</a>	TAVOLA CROCE	HAMUL		830 x 340 mm.
<a href="#">5542</a>	TECNOMAGNETE	MT 50 m	Lifting magnets	500 Kg.
<a href="#">4073</a>	TESTA	-	90° HEAD	
<a href="#">4516</a>	TESTA	-	Milling head	
<a href="#">4863</a>	TESTA	Burkhard Weber	Head for machining centers	
<a href="#">4515</a>	TESTA	ISO 40	Milling head	ISO 40
<a href="#">5741</a>	Testa	Moltiplicatore di giri	Head spindle speeders	
<a href="#">5339</a>	TESTA	RAMBAUDI		Testa ISO 40
<a href="#">4446</a>	TESTA	TV 200	Milling head	ISO 50
<a href="#">5116</a>	Testa alesatura	30 HP		Testa 30 HP
<a href="#">5117</a>	Testa alesatura	6000 RPM		Testa 6000 RPM
<a href="#">5300</a>	UNITA'		Milling unit	
<a href="#">4440</a>	UNITA'	ALESATURA	Boring unit	
<a href="#">4595</a>	UNITA'	MASCHIARE	Tapping unit	
<a href="#">5306</a>	UNITA'	UNISTAND	Boring unit	Corsa circa 200 mm.
<a href="#">4843</a>	UNITA'	VARIE	Unit	
<a href="#">5301</a>	UNITA' WMT	160 PN	Boring unit	
<a href="#">4498</a>	VASCHE	VARIE		
<a href="#">5255</a>	VEGETTI		Screwer vibrators	Vibratori avvitatori
<a href="#">4582</a>	VERTIMAX	-	Lathe	
<a href="#">5253</a>	VIBRATORI	Vari		
<a href="#">4471</a>	VIGEL	-	Unit with recess	
<a href="#">4126</a>	VIGEL	UMR 73	Tapping unit	
<a href="#">4127</a>	VIGEL	UMRS 150	Tapping unit	
<a href="#">4128</a>	VIGEL	UMRS 150	Tapping unit	
<a href="#">5620</a>	W G Prazision	US 57	Rpm multiplier	
<a href="#">5779</a>	W.F.M.	650 MTE		KVA 4.6
<a href="#">4445</a>	WALDRICH	-	Milling head	





**B.M. MACCHINE UTENSILI s.r.l.**

Via Edmondo De Amicis, 146 - 10093 Collegno (TO) - ITALY

Tel: (0039) 011-403.11.24 / 011-403.15.79 - Fax: (0039) 011 403.13.28

www.bmtorino.it - bm@bmtorino.it

IT 07417070013

Code	Make	Model	Type	Technical Details
<a href="#">4816</a>	WOHLHAUPTER	UPA 6	Facing and boring head	0 ÷ 800 mm
<a href="#">5030</a>	WORTHINGTON CREYSSENSAC	DW 84	Refrigerant Dryer	
<a href="#">5026</a>	WORTHINGTON CREYSSENSAC	TRI SEP 150	Oil Water Separator	

## Vertical Drill

Code	Make	Model	Type	Max. diameter
<a href="#">4063</a>	5.21	-	Column	
<a href="#">4066</a>	ACIERA	22 VA	Drill-milling machine	Ø 22 mm.
<a href="#">666</a>	AUDAX	30 S		
<a href="#">5821</a>	AUDAX	50 TI	Column	50 mm
<a href="#">664</a>	BERARDI	BSB 23	Column	Ø 23 mm.
<a href="#">5822</a>	BIMAK	22 FA	Bench	22 mm
<a href="#">652</a>	CUT		Column	
<a href="#">4719</a>	CUT	-	Column	
<a href="#">5734</a>	DRILL	18	Bench drill	Ø 18 mm.
<a href="#">4393</a>	EXCELSIOR	DUCOS		
<a href="#">5829</a>	FUROR		Column type drilling machines	
<a href="#">681</a>	IDEAL	10	Column	Ø 10 mm.
<a href="#">682</a>	IM	AN 6	Bench	Ø 6 mm.
<a href="#">683</a>	IM	ANS 6	Bench	Ø 6 mm.
<a href="#">583</a>	OLIVETTI	-	Column	
<a href="#">4721</a>	OLIVETTI	-	Column	
<a href="#">592</a>	OLIVETTI	10	Column	Ø 10 mm.
<a href="#">662</a>	OLIVETTI	T 18	Column	Ø 18 mm.
<a href="#">655</a>	OLIVETTI	TS 1	Bench	Ø 10 mm.
<a href="#">4718</a>	OLIVETTI	TS 1	Column	Ø 10 mm.
<a href="#">591</a>	OLIVETTI	TS 10	Column	Ø 10 mm.
<a href="#">593</a>	OLIVETTI	TS 15 c	Column	Ø 15 mm.
<a href="#">5066</a>	OLIVETTI	TS1		Ø 10 mm.
<a href="#">5067</a>	OLIVETTI	TS1		Ø 10 mm.
<a href="#">5069</a>	OLIVETTI	TS1		Ø 10 mm.
<a href="#">5085</a>	ROSA	25	Column	Ø 25 - 32 mm.
<a href="#">4367</a>	ROSA	45	Drilling machine with cross table	Ø 45 mm.
<a href="#">603</a>	ROSA	HBO		Ø 23 - 16 mm.
<a href="#">609</a>	ROSA	HBO	Column	Ø 23 - 16 mm.
<a href="#">613</a>	ROSA	HBO	Column	Ø 23 - 16 mm.
<a href="#">661</a>	ROSA	HBO		Ø 23 - 16 mm.
<a href="#">5536</a>	ROSA	HBO	Column	
<a href="#">5771</a>	ROSA	HBO		



**B.M. MACCHINE UTENSILI s.r.l.**

Via Edmondo De Amicis, 146 - 10093 Collegno (TO) - ITALY

Tel: (0039) 011-403.11.24 / 011-403.15.79 - Fax: (0039) 011 403.13.28

www.bmtorino.it - bm@bmtorino.it

IT 07417070013

Code	Make	Model	Type	Max. diameter
<a href="#">5772</a>	ROSA	HBO		
<a href="#">672</a>	ROSA	HBO 4 fusi multipli in linea	Column	Ø 23 - 16 mm.
<a href="#">673</a>	ROSA	HBO 6 fusi multipli in linea	Column	Ø 23 - 16 mm.
<a href="#">665</a>	ROSA	RS1	Pedestal	Ø 10 mm.
<a href="#">4250</a>	RUMAT	25 mm	Column	Ø 25 mm.
<a href="#">5480</a>	SERRMAC	F 22	Bench drill	Ø 22 mm.
<a href="#">5828</a>	SERRMAC	RAG 13	Bench drill	13 mm
<a href="#">5589</a>	SERRMAC	RAG 16/18	Bench drill	Ø 18 mm.
<a href="#">5827</a>	SERRMAC	RAG 35	Column type drilling machines	35
<a href="#">5819</a>	STANKOIMPORT	2H150		50 mm
<a href="#">5445</a>	SUPER CONDOR	20	Column	Ø 20 mm.
<a href="#">600</a>	SUPERASSO	6		
<a href="#">5547</a>	TNT NAVITOR	25		Ø 25 mm.
<a href="#">4053</a>	TP	21	Column	
<a href="#">660</a>	VALMER	SUPER 30		
<a href="#">5783</a>	VALMER	SUPER ASSO 13		
<a href="#">571</a>	VITOR	-	Column	
<a href="#">4064</a>	w ---	-	Column	

## Vertical Grinder

Code	Make	Model	Type	Table dimensions	Grinding length
<a href="#">5422</a>	ALPA	RVAP 2000 D	Hydraulic	2300 x 330 mm.	2000 mm.
<a href="#">1819</a>	BLANCHARD	36-60	1 wheel with rotary table	1524 mm.	
<a href="#">5826</a>	CAMUT	V2 30 B	Hydraulic	2800 x 460 mm	3000 mm
<a href="#">4735</a>	CAMUT	V2 30 C	Hydraulic	2800 x 650 mm.	3000 mm.
<a href="#">4987</a>	FAVRETTO	VA 120/S DUPLEX	1 wheel with 2 rotary tables	1200 x 300 mm.	1280 mm,
<a href="#">1808</a>	FBV	-	Manual	350 x 180 mm	
<a href="#">5244</a>	FBV	-	Manual	355 x 150 mm.	
<a href="#">1804</a>	FM	-	Manual	390 x 210 mm	
<a href="#">1787</a>	GIUSTINA	RA 2	2 wheels with rotary table	1100 mm.	
<a href="#">1788</a>	GIUSTINA	RA 2	2 wheels with rotary table	1100 mm.	
<a href="#">3919</a>	GIUSTINA	RA 2	2 wheels with rotary table	1100 mm.	
<a href="#">4325</a>	GIUSTINA	RA 2	2 wheels with rotary table		
<a href="#">5296</a>	GIUSTINA	RA 2	2 wheels with rotary table	Ø 1040 mm.	
<a href="#">5080</a>	GIUSTINA	RA 3	3 wheels with rotary table	Ø 1650 mm.	



**B.M. MACCHINE UTENSILI s.r.l.**

Via Edmondo De Amicis, 146 - 10093 Collegno (TO) - ITALY

Tel: (0039) 011-403.11.24 / 011-403.15.79 - Fax: (0039) 011 403.13.28

www.bmtorino.it - bm@bmtorino.it

IT 07417070013

Code	Make	Model	Type	Table dimensions	Grinding length
<a href="#">1818</a>	STANKOIMPORT	3A 156	1 wheel with rotary table	Ø 800 mm.	
<a href="#">1782</a>	STEFOR	HYDRAULIC 1500		1500 x 290 mm.	1850 mm.
<a href="#">1811</a>	ZOCCA	RCV 2000	1 wheel with rotary table	2000 mm.	

## Vertical Lathe

Code	Make	Model	Type	Plateau diameter	Turning diameter
<a href="#">521</a>	COMAU	440/A			380 mm.
<a href="#">4029</a>	DUPLO STANDARD	DIAMANT CNC 70 TV	CNC SIEMENS	Ø 700 mm.	Ø 1100 mm.
<a href="#">4240</a>	EX CELL-O	411		Ø 300 mm.	
<a href="#">538</a>	MORANDO	CK N-1	CNC ELSAG MACS 522	Ø 800 mm. ROTOMORS	Ø 800 mm.
<a href="#">5535</a>	MORANDO	KL 12		Ø 1200 mm.	Ø 1400 mm.
<a href="#">5794</a>	MORANDO	KL 14	Digital Readout	1450 mm.	1650 mm.
<a href="#">541</a>	PENSOTTI	TP 1500	CNC FAGOR 8055	Ø 1500 mm.	Ø 1750 mm.
<a href="#">540</a>	ROMAN	SC 14		Ø 1200 mm.	Ø 1400 mm.
<a href="#">539</a>	ROMAN	SC 14 CC		Ø 1200 mm.	Ø 1400 mm.
<a href="#">542</a>	SCHIESS	ZKN 160		Ø 1600 mm.	Ø 1800 mm.
<a href="#">535</a>	TITAN	SC 11		Ø 900 mm.	Ø 1100 mm.
<a href="#">536</a>	TITAN	SC 17		Ø 1450 mm.	Ø 1650 mm.
<a href="#">543</a>	TITAN	SC 27		Ø 2500 mm.	Ø 2700 mm.
<a href="#">544</a>	TITAN	SC 27		Ø 2500 mm.	Ø 2700 mm.
<a href="#">5823</a>	TOS HULIN	SKQ 12 NC	CNC ECS 4082	1250 mm	1500 mm

## Vertical Machining Center

Code	Make	Model	Type	Cross travel	Longitudinal travel	Vertical travel
<a href="#">2952</a>	COLGAR	PROG 200 TR9 P	CNC E.C.S. 2601	2000 mm.	2500 mm.	2000 mm.
<a href="#">4155</a>	DUPLOSTANDARD	ZEPHIR 30	CNC SIEMENS 820 T	1000 mm.	3000 mm.	1600 mm.
<a href="#">2975</a>	HURON	FX	CN HEIDENHAIN	520 mm.	900 mm.	600 mm.
<a href="#">5774</a>	QUASER	MK 60 II S	CNC FANUC 18 M	1020 mm	610 mm	560 mm
<a href="#">4995</a>	SAIMP	MECTRA 16	CNC HEIDENHAIN TNC 415	1300 mm.	3000 mm.	1700 mm.
<a href="#">2966</a>	SIGMA	EK 110	CNC PHILIPS 4360	550 mm.	1100 mm.	750 mm.
<a href="#">4086</a>	SIGMA	MC 24/800	CNC GRUNDIG	400 mm.	800 mm.	700 mm.

## Welder

Code	Make	Model	Type	Technical Details
------	------	-------	------	-------------------

**B.M. MACCHINE UTENSILI s.r.l.**

Via Edmondo De Amicis, 146 - 10093 Collegno (TO) - ITALY

Tel: (0039) 011-403.11.24 / 011-403.15.79 - Fax: (0039) 011 403.13.28

www.bmtorino.it - bm@bmtorino.it

IT 07417070013

Code	Make	Model	Type	Technical Details
<a href="#">3539</a>	CEA	AC-DC 250 TIG	Welder	
<a href="#">3944</a>	CEA	CUBO 200 COMPACT HE	Welder	
<a href="#">5378</a>	CEMONT	BLU MIG 350	Welder	
<a href="#">4897</a>	ESAB	ARISTO LUC 400	Welder	
<a href="#">5463</a>	EUROMODEL COMIMPORT		Ultrasonic welding	
<a href="#">3942</a>	FILARC	S 40	Welder	Potenza Kva 20
<a href="#">5544</a>	INE	211 SI		
<a href="#">3936</a>	ISEA	SA	Welder	
<a href="#">3929</a>	MALAGUTI	SPW / 2502	Spot welding machine	12 KVA
<a href="#">3939</a>	MALAGUTI	SPW / 3003	Spot welding machine	15 KVA
<a href="#">4205</a>	PLASMA AIR	120 WELCOOP	Plasma cutting	
<a href="#">4649</a>	SIO	FG 300	Welder	
<a href="#">5737</a>	SMEI	PT 2	Butt welder machine	
<a href="#">3549</a>	VALFO	PLASMA CUT 40-90	Plasma cutting	

**Wire-Cut EDM Machine**

Code	Make	Model	Type	Ampere	Tank dimensions
<a href="#">2394</a>	SODICK	BF 275	CNC MARK IX		600 x 500 mm.